Listing of plants

the following is a listing of some real some made up for One piece finable plants, herbs, spices, useful material plants, poison plants, and drug plants.

- D Drug, Medical
- P Poisonous
- M Material
- E Edible
- S Spice
- W Wood Producer
- G Garden plant

Terrains

- 1 Winter /Tundra
- 2 Dessert
- 3 Tropic
- 4 Swamp
- 5 Mountainous
- 6 Forrest
- 7 Rain forest
- 8 Grassland / Temperate
- 9 Garden

Note I am only listing a collection of plants that I feel is a good selection of ones to be found, Basic Fruits and Veggies are listed as well.

Gardening Plants - In One piece it is not unheard of to have a garden/greenhouse on board. Unless a watering system is made or climate is controlled these plants can die out of their terrain so keep that in mind if the players are growing anything. It is a simple daily task that they can claim to do or set a NPC crew member on. After a given time of weeks in proper climate their garden can produce at a rate of 1d4 unit's a plant a week.

The Plants are Listed as follows with the [] indicating the DC Knowledge Nature to identify what you know about said plant () gives a basic look/ description then what uses it has . Only one roll is given per plant but once rolled it determines how much they know or can find out about said plant , Lastly there is the Sell Prices of the plants / Material first you have a basic sell price then you have a good sell price. Determine ahead of time based on the islands Terrain on if there is a call for plants from a different Terrain which may raise the price by a multiplier or if its not wanted lower. This allows the player to sell unneeded supplies for money to get need .

Plant Name [DC for name]Uses listingDescriptionPlants Basic Uses [DC for uses]Secondary Uses [DC for secondary uses]Plant Warning /Hazards[DC for warning]Plant BRP / Crafted ITEM BRP

Making Rolls

There are two ways a player can make rolls in search of plants, If they know what they are looking for they can make a simple Search roll Which DC is based on how easy it is to find by their description of what they are looking for. I.e. one player says he is looking for wood while another player is looking for a certain plant for medical use. Player 1 has a DC of 10 to their search as many people can find trees that can be used for wood easily, while player two has a much higher DC 25 as they need to find a certain plant within a massive land mass.

©Imbria Arts 2015

Plant Guide

Once found the plant can only be described to the player until they make a Knowledge Nature roll to identify the plant and possible uses and useable parts, as well as any warnings for the plant like if its poisonous or not. A survival Roll can also be used to determine if a plant is safe or not to eat, while it wont tell you what parts or what uses the plant is it can tell you if its poisonous or safe to eat The DC is the Caution DC.

To Collect supplies from it the GM will make two rolls the first to see how much of the plant is in supply in the area. This is done a 1d6. The other roll is the amount of units they can gather form the plant.

- 1 There is only the one plant =1 unit of the plant materials
- 2-3 A few plants = 1d8 units of the plant materials
- 4-5 Small Garden = 1d20 units of the plant materials
- 6 Thriving garden = 1d100 units of the plant materials

Plants Listing and die result, Sections are based off of Terrain Climate of the island they are on

Skills listed N/A means any one can collect it no skill is needed otherwise only certain skills can produce or collect certain items.

	Winter /Tundra					
01	Arctic willow	25	Plantain			
02	Bearberry	26	Purslane			
03	Blackberry, raspberry, and dewberry	27	Reed			
04	Burdock	28	Reindeer moss			
05	Cattail	29	Sassafras			
06	Chinaberry	30	Sheep sorrel			
07	Cranberry	31	Spatterdock or yellow water lily			
08	Crowberry	32-34	Strawberry			
09	Dandelion	35	Water hemlock or spotted cowbane			
10	death lily	36-38	Water lettuce			
11	Elderberry	39-41	Wild dock and wild sorrel			
12-13	Fireweed	42-44	Wild gourd or luffa sponge			
14	Hemlock, fool's parsley	45-48	Wild onion and garlic			
15	Iceland moss	49	Wild rose			
16	Indian potato or Eskimo potato					
17	Poison ivy and poison oak					
18	Marsh marigold					
19	Oak					
20	Peppermint					
21	Persimmon					
22-24	Pine					



HETP WER WERK CURVARENWER SUMMER IN A LUXALITY SUCHES WINITLE A MER UNE UNDER WERK IN THE WERKER TO VER SUCH A

Plant Guide

(<u>Dessert</u>					
01-03 04 05-08 09 10 11 12-14 15-19 20 21-24	Aloe vera Abal Acacia Agave Baobab Boo phone Cattail Cereus cactus Chufa Common jujube	39Purslane40-42Reed43Saxaul44Tamarind45Wild caper46Wild desert gourd or colocynth47Wild onion and garlic48Wild pistachio49Yam bean50-75Junk Item				
25 26-33 34-38	Date palm Pincushion cactus Prickly pear cactus	75-99 Material chart item00 Random Item on other chart				

Rain forest							
01-02							
03	Banana and plantain	48-50	Renghas tree				
04	Batoko plum	51 Rose apple					
05	Bignay	52	Rosary pea or crab's eyes				
06	Castor bean	53-56	Sago palm				
07-09	Cattail	57-61	Screw pine				
10	Chinaberry	62-65	Sorghum				
11	Chestnut	65-68	Strychnine tree				
12-13	Cuipo tree	69	Taro				
14	Daylily	70	Water chestnut				
15-17	Fishtail palm	71	Water lettuce				
18	Foxtail grass	72	Water lily				
19	Horseradish tree	73	Water plantain				
20	Poison ivy and poison oak	74	Wild dock and wild sorrel				
21	Mango	75	Wild fig				
22-25	Nettle	76	Wild grape vine				
26-28	Nipa palm		Wild onion and garlic				
29-31	Palmetto palm	84-88	Wild rice				
32	Pangi	89	Yam bean				
33	Papaya or pawpaw		Junk Item				
34-37	Pine		Materials Chart				
38	Purslane	00	Item On Another Chart				
39-43	Rattan palm						



One Piece RPG

Imbriaarts.com/rpg

	Tropic					
01	Acacia		41	Oleander		
02	Almond	1	42	Orach		
03	Arrowroot		43	Palmetto palm		
04	Bael fruit		44	Physic nut		
05	Bamboo			45 Purslane		
06	Banana and plantain		46	Rattan palm		
07	Baobab		47	Reed		
08	Batoko plum		48	Renghas tree		
09	Bignay		49	Rose apple		
10	Breadfruit		50	Rosary pea or crab's eyes		
11	Burl Palm		51	Sago palm		
12	Canna lily		52	Sorghum		
13	Cashew nut		53	Sterculia		
14	Castor bean		54	Strychnine tree		
15	Cattail		55	Sugarcane		
16	Chinaberry		56	Sugar palm		
17	Cereus cactus		57	Sugar wrack		
18	Chestnut		58	Sweetsop		
19	Coconut		59	59 Tamarind		
20	Cowhage		60	Taro		
21	Cuipo tree		61 Ti			
22	Dandelion		62 Tree fern			
23	Date palm		63 Tropical almond			
24	Daylily		64 Water chestnut			
25	Fishtail palm		65	Water lettuce		
26	Goa bean		66	Water lily		
27	Green seaweed		67	Water plantain		
28	Horseradish tree		68	Wild crab apple or wild apple		
29	Irish moss		69	Wild desert gourd or colocynth		
30	Poison ivy and poison oak		70	Wild dock and wild sorrel		
31	Juniper		71	Wild fig		
32	Kelp		72	Wild grape vine		
33	Lantana		73	Wild onion and garlic		
34	Laver		74	Wild pistachio		
35	Manchineel		75	Yam		
36	Mango		76	Yam bean		
37	Manioc		77-80	Driftwood		
38	Mulberry		81-85	Junk Item		
39	Nettle		86-99	Random Material		
40	Nipa palm		00	Random Item from other chart		

E.A

PHETH BEN VER BENR CNRKNEUM FV RMMT FIXHTTIX FFCHF & WIWITIET VER NCWETMU FTW MERM ITVE XET TE IMBRIFERTU KEN RCX

©Imbria Arts 2015

622

©Imbria Arts 2015

Plant Guide

Imbriaarts.com/rpg

1	Mountainous				
01	Angel Wings	52-54	Pine		
02	Amaranth	55	Plantain		
03 - 06	Arctic willow	56 - 57	Poppy		
07	Blackberry, raspberry, and dewberry	58	Psilocybin		
08	Blueberry and huckleberry	59 - 60	Puffball		
09	Burdock	61	Purslane		
10 - 12	Cattail	62 - 63	Reed		
13	Chanterelles	64 - 65	Reindeer moss		
14	Chinaberry	66	Reishi		
15 - 20	Clove	67 - 68	Rock tripe		
21	Cuipo tree	69	Sassafras		
22 - 25	Dandelion	70 - 72	Shiitake mushrooms		
26	Death Cap	73	Strawberry		
27	Death lily	74	Truffle		
28 - 30	False Morels	75	Walnut		
31	Hackberry	76	Water chestnut		
32	Hazelnut	77	Water lettuce		
33	Hemlock, fool's parsley	78	Wild crab apple or wild apple		
34 - 36	Hops	79	Wild dock and wild sorrel		
37	Indian potato or Eskimo potato	80	Wild gourd or luffa sponge		
38 - 39	Poison ivy and poison oak	81	Wild grape vine		
40	Jack-O-Lantern	82 - 84	Wild onion and garlic		
41 - 45	Morels	85 - 87	Wild rose		
46	Mushtake	88	Yam		
47 - 49	Oak	89 - 94	Junk Item		
50	Peppermint		Materials Chart		
51	Persimmon	00 Othe	er chart		

©Imbria Arts 2015

PHETH BEN VER BENR CNRKNEUM FV RMMT FIXHTTIX FFCHF & WIWITIET VER NCWETMU FTW MERM ITVE XET TE IMBRIFERTU KEN RCX

Plant Guide

624

One Piece RPG

Imbriaarts.com/rpg

	For	rest	
01	Angle Wings	50	Plantain
02	Arctic willow	51	Psilocybin
03 - 04	Bamboo	52	Puffball
04	Banana and plantain	53	Purslane
05 - 07	Beech	54	Reed
08	Blackberry, raspberry, and dewberry	55	Reindeer moss
09	Breadfruit	56	Renghas tree
10	Burdock	57	Reishi
11	Carob tree	58	Rosary pea or crab's eyes
12 - 13	Cattail	59	Sago palm
14	Chanterelles	60	Sassafras
15	Chestnut	61	Screw pine
16	Clove	62 - 63	Shiitake mushrooms
17	Common jujube	64	Sorghum
18 - 19	Dandelion	65	St. John's wort
20	Daylily	66	Sterculia
21	Death Cap	67	Strawberry
22	Duchesnea or Indian strawberry	68	Strychnine tree
23	Elderberry	69	Sugar palm
24	False Morels	70	Thistle
25	Fenugreek	71	Ti
26	Hackberry	72	Truffle
27	Hazelnut	73 - 75	Trumpet vine or trumpet creeper
28	Hemlock, fool's parsley	76	Vanilla
29	Horseradish tree	77	Walnut
30 - 32	Poison ivy and poison oak	78	Water chestnut
33	Jack-O-Lantern	79	Water lettuce
34	Juniper	80	Water lily
35	Lotus	81	Wild crab apple or wild apple
36	Marsh marigold	82	Wild dock and wild sorrel
37	Morels	83	Wild fig
38	Mushtake	84	Wild gourd or luffa sponge
39	Nettle	85	Wild grape vine
40 - 42	Oak	86	Wild onion and garlic
43	Pangi	87	Wild rice
44	Papaya or pawpaw	88	Wood sorrel
45	Peppermint	89	Yam
46	Persimmon	90 - 94	Junk Item
47 - 49	Pine	95 - 99	Materials Chart
		00	Item on an Other Chart

©Imbria Arts 2015

Plant Guide

	Grassland / Temperate					
01	01 Amaranth 52 Peppermint					
02	Bamboo	53	Persimmon			
03	Barley	54	Pine			
04	Basil	55	Pokeweed			
05	Bayleaf	56	Poppy			
06	Beech	57	Purslane			
07	Blueberry and huckleberry	58	Reed			
08	Burdock	59	Reindeer moss			
09	Cannabis	60	Rosemary			
10	Castor bean	61	Saffron			
11	Catnip	62	Sage			
12	Cattail	63	Sassafras			
13	Cayenne pepper	64	Sesame seed			
14	Chamomile	65	Sheep sorrel			
15	Chicory	66	Sorghum			
16	Chili pepper	67	Spatterdock or yellow water lily			
17	Chufa	68	Spearmint			
18	Clove	69	St. John's wort			
19	Cranberry	70	Sterculia			
20-21	Dandelion	71	Strawberry			
22	Daylily	72	Sweet sagewort			
23	Dill seed	73	Sweetsop			
24	Duchesnea or Indian strawberry	74	Tamarind			
25	Elderberry	75	Taro			
26	Foxtail grass	76	Tarragon			
27	Fenugreek	77	Tea			
28	Ginger	78	Thistle			
29	Ginseng	79	Thyme			
30	Hackberry	80	Trumpet vine or trumpet creeper			
31	Hazelnut	81	Vanilla			
32	Hemlock, fool's parsley	82	Walnut			
33	Hops	83	Wasabi			
34	Indian potato or Eskimo potato	84	Water chestnut			
35	Indonesian Cinnamon	85	Water hemlock or spotted cowbane			
36	Poison ivy and poison oak	86	Water lily			
37	Jasmine	87	Wheat			
38	Juniper	88	Wild crab apple or wild apple			
39	Lavender	89	Wild dock and wild sorrel			
40	Lemongrass	90	Wild gourd or luffa sponge			
41	Licorice	91	Wild grape vine			
42	Lotus	92	Wild onion and garlic			
43	Lantana	93	Wild rice			
44	Manchineel	94	Wild rose			
45	Mulberry	95	Wood sorrel			
46	Mustard	96	Yam			
47	Nutmeg	97	Yarrow			
48	Oak	98	Junk Item			
49	Oleander	99	Materials Chart			
50	Oregano	00	Item on another chart			
51	Parsley					

©Imbria Arts 2015

626

6	Control / Garden					
01 - 03	01 - 03 Apple 40 Licorice					
04	Asparagus	52	Lime			
05	Avocado	53	Mustard			
06	Banana	54 - 57	Oats			
07 - 09	Barley	58	Olive			
10	Basil	59	Onion			
11	Blackberry, raspberry, and dewberry	60 - 63	Orange			
12	Blueberry and huckleberry	64	Oregano			
13	Broccoli	65	Parsley			
14	Cabbage	66	Pea			
15	Cannabis	67	Peach			
16	Carrot	68	Peanut			
17	Catnip	69	Pear			
18	Celery	70	Peppermint			
	Cherry, Plum, Apricot	71	Pineapple			
23	Chili Pepper	72	Potato			
24	Clove	73	Pumpkin			
25	Cocoa Bean	74	Radish			
26	Coffee Bean	75	Red Pepper			
27	Corn	76 - 78				
28	Cotton	79	Soy			
29	Cucumber	80	Spinach			
30	Dill Seed	81	Squash			
31	Funugreek	82	Sunflower			
32	Garlic	83	Tangerine			
33	Ginger	84	Теа			
34	Ginseng	85	Tobacco			
35	Grape	86	Tomato			
36	Grapefruit	87	Turnip			
37	Green Bean	88	Watermelon			
38	Green Pepper		Wheat			
39 - 40		92 - 94				
	Kale, Collards, Spring Mix	95	Yam			
46	Lavender		Junk Item			
47	Lettuce		Material Chart			
48 - 50		00	Item from other chart			
51	Lemongrass					

PHETH BEN VER BENR CNRKNEUM FV RMMT FIXHTTIX FFCHF & WIWITIET VER NCWETMU FTW MERM ITVE XET TE IMBRIFERTU KEN RCX

©Imbria Arts 2015

Plant Guide

Name			Identify DC	Uses
Description				
1951	4	In a	TU V	
Edible Parts				
				1
Caution		Threat ID DC		1
				5
Other Uses		Other Use DC		1
Products	Product Value	Skill to Harvest/Craft	DC	
			1	

Name			Identify DC	Uses			
Abal 20 E, M							
Description:							
The abal is one of the f	ew shrubby plants that ex	ists in the shady deserts.	This				
plant grows to about 1.	2 meters, and its branche	s look like wisps from a b	room. The st	iff, green			
branches produce an a	bundance of flowers in the	e early spring months (M	arch, April).				
Edible Parts							
This plant's general ap	pearance would not indica	ate its usefulness to the s	urvivor, but w	hile this			
plant is flowering in the	spring, its fresh flowers c	an be eaten. This plant is	s common in	the areas			
	nalysis of the food value o	f this plant has shown it t	o be high in s	sugar and			
nitrogenous componen	ts.						
Products	Product Value	Skill to Harvest/Craft	DC				
Flowers 50 N/A N/A							
Reeds	Reeds 50 N/A N/A						
Sugar 100 Cooking 20							
Nitrogen Fertilizer	300	Chemical	40				

Name			Identify DC	Uses			
Acacia	Acacia 20 E, M						
Description	Description						
Acacia is a spreading, usually short tree with spines and alternate compound leaves. Its individual leaflets are small. Its flowers are ball-shaped, bright yellow, and very fragrant. Its bark is a whitish-gray color. Its fruits are dark brown and pod like.							
Edible Parts							
Its young leaves, flowers	s, and pods are edible ra	w or cooked.					
Caution		Threat ID DC					
Other Uses	Other Uses Other Use DC						
Spines of the tree can b	e craft to use as arrow/da	art tips					
Products	Product Value	Skill to Harvest/Craft		DC			
Leaves	20	N/A		N/A			
Flowers	50	N/A		N/A			
Pods	50	N/A		N/A			
Spines	10	Weapon		20			

Name			Identify DC	Uses
Agave	67		25	Е, М
Description				
		y leaves borne close to the nly once, and then die. The		massive
Edible Parts				
Its flowers and flower b	ouds are edible. Boil ther	n before eating.		5
Other Uses Other Use DC				1
leaves. Pound the leav have thick, sharp need	es and remove the fiber les at the tips of the leav	or drinking. Some species s for weaving and making i ves. Use them for sewing o that makes the sap suitable	ropes. Most s	pecies ks.
Products	Product Value	Skill to Harvest/Craft		DC
Flowers	50	Cooking	19	10
Twine	50	Craft Item	8	10
Soap	100	Craft Item	1	20
Juice	100	Survival		20

Name			Identify DC	Uses	
Almond			20	W,E	
Description					
The almond tree, which	sometimes grows to 12.	2 meters, looks like a pe	ach tree.		
The fresh almond fruit re	esembles a gnarled, unri	pe peach and grows in a	clusters. The s	tone (the	
almond itself) is covered	d with a thick, dry, woolly	skin.		-	
Edible Parts					
The mature almond fruit	The mature almond fruit splits open lengthwise down the side, exposing the ripe almond nut. You				
	ernel by simply cracking				
value, like all nuts. Gather them in large quantities and shell them for further use as survival food.					
You could live solely on almonds for rather long periods. When you boil them, the kernel's outer					
covering comes off and	only the white meat rem	ains.			
Products	Product Value	Skill to Hanvest/Craft			

Products	Product Value	Skill to Harvest/Craft	DC
Wood	10	Prof Lumberjack/ Survival	10
Almond	100	Prof Farmer/ Survival	20

Name			Identify DC	Uses
Aloe vera			20	D
Description				
A small bush like plant v	vith long thick sword like	leaves growing from the	e root.	
Other Uses		Other Use DC	20	
The plant has a natural	Lotion about it that has h	ealing ability; Further pr	ocessed it can	be used
to heal wounds.				
Products	Product Value	Skill to Harvest/Craft		DC
Plant	100	Prof. Farming / Surviv		20
Lotion	200	Prof. Herbalist / Surviv	-	20
Potion	N/A	Chemical (See Items	Rules)	N/A

Name	Identify DC	Uses
Amaranth	20	E~
Description		

These plants, which grow 90 centimeters to 150 centimeters tall, are abundant weeds in many parts of the world. All amaranth have alternate simple leaves. They may have some red color present on the stems. They bear minute, greenish flowers in dense clusters at the top of the plants. Their seeds may be brown or black in weedy species and light-colored in domestic species.

Edible Parts

HET WER WER WER REAR CARABEAM FUR RAMT FIXET HAY FER A SMIMITIFT WER ACMETMA FTM MERMITUR XET TH MERIFERTA AFM REX

All parts are edible, but some may have sharp spines you should remove before eating. The young plants or the growing tips of alder plants are an excellent vegetable. Simply boil the young plants or eat them raw. Their seeds are very nutritious. Shake the tops of alder plants to get the seeds. Eat the seeds raw, boiled, ground into flour, or popped like popcorn.

Products	Product Value	Skill to Harvest/Craft	DC
Plant	10	Prof. Herbalist	20
Flour	50	Cooking	20
Popcorn	100	Cooking	15

Name			Identify DC	Uses
Angel Wings	Angel Wings		25	Р
Description				
A large White mushroor	n with a small ring on the	stem.		
Caution		Threat ID DC		
The mushrooms are poisonous to eat and cause a good amount of damage in the raw doing 2d8 a round for 1d20 rounds DC 15 Resistance				doing 2d8
Other Uses		Other Use DC	45	
Refined Poison 3d8 a ro	ound for 2d20 rounds DC	15 Resistance		
Products	Product Value	Skill to Harvest/Craft		DC
Mushroom	100	N/A		N/A
Poison Refined	20,000	Chemistry		40

Name			Identify DC	Uses
Apple			25	E,P,W,G
Description				
Most wild apples look enough like domestic apples that the survivor can easily recognize them. Apple varieties are much smaller than cultivated kinds; the largest kinds usually do not exceed 5 to 7.5 centimeters in diameter, and most often less. They have small, alternate, simple leaves and often have thorns. Their flowers are white or pink and their fruits reddish or yellowish.				
Edible Parts				
Prepare Apple for eating in the same manner as cultivated kinds. Eat them fresh, when ripe, or cooked. Should you need to store food, cut the apples into thin slices and dry them. They are a good source of vitamins.				
Caution		Threat ID DC	25	
Apple seeds contain cya rounds DC 15 Fort	anide compounds. Do no	eat. If eaten they do 1d	6 a round for	1d12
Other Uses		Other Use DC	50	
The Seeds can be used	to create Cyanide (see l	tems: Poisons)		
Products	Product Value	Skill to Harvest/Craft		DC
Fruit	100	Prof Farmer/ Survival		10
Wood	10	Prof lumberjack/ Surviv	/al	10
Poison Refined	250	Chemistry (Items pois	on rules)	N/A
Seed for growing	50	Prof Farmer		40

Name			Identify DC	Uses		
Arctic willow			35	E, W, D		
Description						
The arctic willow is a sh	rub that never exceeds m	nore than 60 centimeters	in height			
Edible Parts						
You can collect the succulent, tender young shoots of the arctic willow in early spring. Strip off the outer bark of the new shoots and eat the inner portion raw. You can also peel and eat raw the young underground shoots of any of the various kinds of arctic willow. Young willow leaves are one of the richest sources of vitamin C, containing 7 to 10 times more than an orange.						
Other Uses	Other Uses Other Use DC 40					
The Arctic Willow leaves can be crushed and used in medical potions as per rules in items section						
Products	Product Value	Skill to Harvest/Craft		DC		
Wood	10	Prof. Lumberjack/ Surv	vival	10		
Potion	N/A	Chemistry (See Items	Rules)	N/A		

Name			Identify DC	Uses
Arrowroot			25	E
Description				
The arrowroot is an aqu	atic plant with arrow-shap	ped leaves and potato li	ke tubers in th	e mud.
Edible Parts				
The rootstock is a rich s	ource of high quality star	ch. Boil the rootstock ar	d eat it as a v	egetable.
Products Product Value Skill to Harvest/Craft DC				
Root	5	Survival / Prof. Herbal	st	30

Name			Identify DC	Uses
Asparagus			20	E, D
Description				
A Bushy green plant wit	h a strong smell to the gr	een stalks		
Edible Parts				
The green stems of the	bush is edible.			
Other Uses		Other Use DC	25	
The stalks are said to have a light healing property so its sought for making medicine. (see items potions crafting rules)				(see items
Products	Product Value	Skill to Harvest/Craft		DC
Plant	150	Prof. Farming / Surviva	al	20
Potion	N/A	Chemistry (See Items	rules)	

Name			Identify DC	Uses
Avocado			20	W, E
Description				
A Small tree with oval d	ark green leaves and a d	ark green fruit		
Edible Parts				
The Fruit is edible once	it has been peeled free f	rom the leathery hide of	the fruit.	
Products	Product Value	Skill to Harvest/Craft		DC
Fruit	150	Prof. Farming		30
Wood	10	Prof. Lumberjack/ Surv	/ival	20
Seed	50	Prof. Farming		50

Name	Identify DC	Uses
Bael fruit	25	W,E
Description		
This is a tree that grows from 2.4 to 4.6 meters tall, with a dense spiny group centimeters in diameter, gray or yellowish, and full of seeds.	rowth. The frui	t is 5 to 10
Edible Parts		
The fruit, which ripens in December, is at its best when just turning ripe.		

diluted with water and mixed with a small amount of tamarind and sugar or honey, is sour but refreshing. Like other citrus fruits, it is rich in vitamin C.

Products	Product Value	Skill to Harvest/Craft	DC
Wood	10	Prof. Lumberjack/ Survival	20
Fruit	100	Prof. Farmer	20
Seeds	20	Prof. Farmer	30

Name			Identify DC	Uses
Bamboo			10	M,W,E
Description				
Bamboos are woody grasses that grow up to 15 meters tall. The leaves are grass like and the stems are the familiar bamboo used in furniture and fishing poles.				
Edible Parts				
The young shoots of almost all species are edible raw or cooked. Raw shoots have a slightly bitter taste that is removed by boiling. To prepare, remove the tough protective sheath that is coated with tawny or red hairs. The seed grain of the flowering bamboo is also edible. Boil the seeds like rice or pulverize them, mix with water, and make into cakes.				
Other Uses		Other Use DC	15	
Use the mature bamboo to build structures or to make containers, ladles, spoons, and various other cooking utensils. Also use bamboo to make tools and weapons. You can make a strong bow by splitting the bamboo and putting several pieces together.				
Products	Product Value	Skill to Harvest/Craft		DC
Wood	10	Prof. Lumberjack/ Surv		10
Shoots	50	Cooking/ Prof Farming		10
Materials	10	Craft Items/Craft Wear	oon	N/A

	Name			Identify DC	Uses
	Banana and plantain			20	M,W,E,G
	Description				
	These are treelike plants with several large leaves at the top. Their flowers are borne in dense				
	hanging clusters.				
	Edible Parts				
		w or cooked. They may b			
		e. You can cook and eat			ny
	species. The center or	"heart" or the plant is edil	ple year-round, cooked	or raw.	
	Other Uses		Other Use DC	20	
		of the lower third of the p			
		water. You can use their		ds for cooking	or
	storage. Replanting tree	s are possible in garden.			
	Products	Product Value	Skill to Harvest/Craft		DC
	Wood	10	Prof. Lumberjack/ Surv	/ival	20
	Fruit	100	Prof. Farmer/ Survival		30
	Leaf	5	Prof. Lumberjack		30
	Flower	200	Cooking		20
2	Plant Heart	100	Survival		50

Name			lo	dentify DC	Uses
Baobab			2	5	W, E, M, D
Description					
tree has short, stul segments are arra centimeters across	bby branches and a nged like the palm c s, hang from the hig	18 meters and may gray, thick bark. Its of a hand. Its flowers her branches. Its fru with short dense ha	leaves are com s, which are whit iit is shaped like	pound and t e and sever	heir al
Edible Parts					
edible. The pulp an of water for a refree Other Uses Drinking a mixture	nd seeds of the fruit shing drink. To obta of pulp and water w	up vegetable. The t are also edible. Use in flour, roast the se Other U vill help cure diarrhe be cut into strips and	e one handful of eeds, and then g lse DC a. Often the holl	pulp to abo rind them. 40 ow trunks an	ut one cup re good
Products	Product Valu	e Skill to I	Harvest/Craft		DC
Wood	10		ımberjack/ Survi	val	20
Fruit	150		armer / Survival		40
Potion	N/A		al (See Items R	ules)	N/A
Rope	100	Items	_		25
Fresh Water	200	Surviva	-		40
Seeds	40	Prof. Fa			30
Flour	50	Cooking	9		20

Name			Identify DC	Uses
Barley 20			20	E,D
Description				
Long reeds of grass wit	h seeds on the cap, Its gr	een when growing but t	urns brown wł	nen dried
Edible Parts				
A form of Wheat that ca	in be cooked as is and ea	ten, feed raw to animals	s for food or cr	ushed into
a fine flour. Key ingredi	ent in some alcohol.			
Products	Product Value	Skill to Harvest/Craft		DC
Plant	50	Prof. Farmer		10
Flour	100	Cooking		10
Alcohol	N/A	Chemistry / Cooking (I	tems Rules)	N/A

Name			Identify DC	Uses	
Basil			20	S	
Description					
	Basil grows to between 30–130 cm tall, with opposite, light green, silky leaves 3–11 cm long and 1–6 cm broad. The flowers are small, white in color and arranged in a terminal spike.				
Products	Product Value	Skill to Harvest/Craft	·	DC	
Plant	200	Prof. Herbalist / Prof. F	armer	10	
Spice	50	Prof. Herbalist / Prof. F	armer	10	

Name			Identify DC	Uses
Batoko plum				
Description				
This shrub or small tree	has dark green, alternat	e, simple leaves. Its fruit	ts are bright re	d and
contain six or more see	ds.			3
Edible Parts				
Eat the fruit raw or cook	ed.		2	/
Products	Product Value	Skill to Harvest/Craft		DC
Fruit	100	Prof. Farmer / Surviva		10
Seed	20	Prof. Farmer		20

Name			Identify DC	Uses
Bayleaf 20			20	S, M
Description				
	or light frost areas will fir trees, 38 feet and taller;			
Other Uses		Other Use DC	25	
Can be crushed to mak	e a fine oil (baby Oil)			
Products	Product Value	Skill to Harvest/Craft		DC
Plant	100	Prof. Herbalist / Prof. F	armer	10
Spice	50	Prof. Herbalist		10
Oil	150	Chemistry		20

Name			Identify DC	Uses
Bearberry 25			25	E
Description				
	evergreen shrub with rec			
leaves 4 centimeters lor	ng and 1 centimeter wide	. It has white flowers and	l bright red fru	uits.
Edible Parts				
Its berries are edible ray	w or cooked.			
Other Uses		Other Use DC	45	
You can make a refresh	ing tea from its young lea	aves.		
Products	Product Value	Skill to Harvest/Craft		DC
Fruit	150	Prof. Farming / Surviva	1	10
Теа	100	Cooking / Survival		10
Plant	200	Prof. Farming		30

Name	Identify DC	Uses
Beech	20	W,M,E
Description		

Beech trees are large (9 to 24 meters), symmetrical forest trees that have smooth, light-gray bark and dark green foliage. The character of its bark, plus its clusters of prickly seedpods, clearly distinguishes the beech tree in the field.

Edible Parts

The mature beechnuts readily fall out of the husk like seedpods. You can eat these dark brown triangular nuts by breaking the thin shell with your fingernail and removing the white, sweet kernel inside. Beechnuts are one of the most delicious of all wild nuts. They are a most useful survival food because of the kernel's high oil content. You can also use the beechnuts as a coffee substitute. Roast them so that the kernel becomes golden brown and quite hard. Then pulverize the kernel and, after boiling or steeping in hot water, you have a passable coffee substitute.

Products	Product Value	Skill to Harvest/Craft	DC
Wood	10	Prof. Lumberjack/ Survival	20
Nuts	50	Prof. Farmer / Survivalist	20
Coffee	100	Cooking	30

Name			Identify DC	Uses
Bignay			25	E, P
Description				
Bignay is a shrub or small tree, 3 to 12 meters tall, with shiny, pointed leaves about 15 centimeters long. Its flowers are small, clustered, and green. It has fleshy, dark red or black fruit and a single seed. The fruit is about 1 centimeter in diameter.				
Edible Parts				
The fruit is edible raw				
Caution		Threat ID DC	40	
Do not eat any other parts of the tree. In Africa, the roots are toxic. Other parts of the plant may be poisonous. Doing 1d6 an hour for 1d6 hours DC 10 Resistance				
Other Uses		Other Use DC	40	
Refined Poison. Does D	C 20 Resistance 2d6 an	hour for 1d12 hours		
Products	Product Value	Skill to Harvest/Craft		DC
Fruit	150	Prof. Farming / Surviva	al	40
Refined Poison	200	Chemistry		40

	Name			Identify DC	Uses
	Blackberry, raspberry,	and dewberry		15	E, D
	Description				
	These plants have prickly stems (canes) that grow upward, arching back toward the ground. They				
	have alternate, usually of	compound leaves. Their f	ruits may be red, black,	yellow, or orai	nge.
Edible Parts					
The fruits and peeled young shoots are edible. Flavor varies greatly.					
	Other Uses		Other Use DC	35	
	The leaves of the bush are useable in chemical potions for healing aliments.				
	Products	Product Value	Skill to Harvest/Craft		DC
	Fruit	150	Herbalist / Survival /Fa	rming	10
	Plant	100	Prof. Farming / Prof. H		20
	Potion	N/A	Chemistry (see Item ru	lles)	N/A
	Jam /Jelly	1000	Cooking		30

Name		Identify D	C Uses
Blueberry and huc	kleberry	20	E
Description			
These shrubs vary i	in size from 30 centimeter	rs to 3.7 meters tall. All have alternate,	, simple
leaves. Their fruits i	may be dark blue, black, o	or red and have many small seeds.	1
Edible Parts			
Their fruits are edib	le raw or cooked into thin	gs, it also can be preserved in jams or	jellies.
Products	Product Value	Skill to Harvest/Craft	DC
Fruit	150	Farming/ Herbalist/ Survival	10
Seeds	50	Prof. Farming/Prof. Herbalist	20
Jam /Jelly	1000	Cooking	30

Name			Identify DC	Uses
Boo phone			20	D
Description				
A long flowerlike plant w	vith tiny red long blooms		N.	
Caution		Threat ID DC		
The plant creates a stro illusions 1d4 hours	ng amount of Hallucination	ons in those that eat this	plant. DC 15	Will vs
Other Uses		Other Use DC	40	
Processing the plant can hours, or a chemical for	n create ether a strong H "Potions of Release".	allucinating drug Will sav	ve 20 vs. Illus	ions 1d8
Products	Product Value	Skill to Harvest/Craft		DC
Plant	100	Prof. Farming		20
Drug	20,000	Chemistry		40
Potion	N/A	Chemistry (See Item R	lules)	N/A

Name			Identify DC	Uses	
Breadfruit			20	W, E, M	
Description					
This tree may grow up to 9 meters tall. It has dark green, deeply divided leaves that are 75 centimeters long and 30 centimeters wide. Its fruits are large, green, ball-like structures up to 30 centimeters across when mature.					
Edible Parts					
The fruit pulp is edible raw. The fruit can be sliced, dried, and ground into flour for later use. The seeds are edible cooked.				use. The	
Other Uses Other Use DC					
	The thick sap can serve as glue and caulking material. You can also use it as birdlime (to entrap small birds by smearing the sap on twigs where they usually perch).				
Products	Product Value	Skill to Harvest/Craft		DC	
Wood	10	Prof. Lumberjack / Sur	vival	20	
Fruit	150	Prof. Farmer / Surviva		20	
Seed	100	Prof. Farmer		30	
Glue	200	Chemistry		20	
Small Game Trap	1000	Survival		40	
Flour	50	Cooking		10	

Name			Identify DC	Uses
Broccoli			E, D	
Description				
A small busy plant with	tiny buds within its wrapp	ed leaves		
Edible Parts				
The Full Stalk and leave	e are edible yet easiest to	eat when steamed.		1
Other Uses		Other Use DC	35	
Chemists can extract th	e benefits from the plant	and create potions. (See	Item Rules)	/
Products	Product Value	Skill to Harvest/Craft		DC
Stalk	150	Prof. Farming / Surviva		20
Potion	N/A	Chemistry		N/A

Name			Identify DC	Uses
Burdock		20		W, M, E
Description				
	ged, arrow-shaped leave purple or pink flowers ar		rr like clusters	s. It grows
Edible Parts				
Peel the tender leaf stal	lks and eat them raw or o	cook them like greens. Th	ne roots are a	lso edible
boiled or baked.		_		
Other Uses		Other Use DC	45	
Use the fiber from the d	ried stalk to weave Rope			
Products	Product Value	Skill to Harvest/Craft		DC
Wood	10	Prof. Lumberjack/ Surv	/ival	10
Leaves	20	Cooking / Survival		10
Rope	20	Craft Items		10

Name			Identify DC	Uses
Burl Palm			25	W, E, M
Description				
This tree may reach 18 meters in height. It has large, fan-shaped leaves up to 3 meters long and split into about 100 narrow segments. It bears flowers in huge dusters at the top of the tree. The tree dies after flowering.				
Edible Parts				
The trunk contains starch that is edible raw. The very tip of the trunk is also edible raw or cooked. You can get large quantities of liquid by bruising the flowering stalk. The kernels of the nuts are edible.				
Other Uses		Other Use DC	15	
You can use the leaves as weaving material.				
Products	Product Value	Skill to Harvest/Craft		DC
Wood	10	Prof. Lumberjack / Sur		30
Nuts	100	Prof. Farming/ Surviva	I	30
Leaves	10	Craft Item		10

PHETH MEN VER MENR CURRENMEN A RUMT LIXETHTX FLCHE SMIMITLET MER UCMETMI FTM MERM THE XET TE INERIFERTI VEN BCX

Name			Identify DC	Uses
Cabbage		20	E, D	
Description				
A small Leafy plant rolle	ed up in a ball shape			
Edible Parts				
The whole plant is edibl	e yet best served cooked			1
Other Uses		Other Use DC	35	
Chemists can extract th	e benefits from the plant	and create a potions. (Se	ee Items rules	6)
Products	Product Value	Skill to Harvest/Craft		DC
Plant	150	Prof. Farming / Surviva		10
Potions	N/A	Chemistry (See items r	ules)	N/A

Name			Identify DC	Uses
Cannabis/Marijuana			15	M, D
Description				
a Small green tree like	plant with five leaves.		2	
Caution		Threat ID DC	20	
This plant when used a	s a drug it can carry addio	ctive qualities (See Item	Rules Drugs)	
Other Uses		Other Use DC	20	
	made into Hemp used to AIDS, Glaucoma, nausea		nunger stimula	ation,
Products	Product Value	Skill to Harvest/Craft		DC
Hemp	10	Herbalist/ Farming / S	urvival	20
Rope	100	Craft Item		10
Drug	N/A	Chemistry (See Item F	Rules)	N/A

Name			Identify DC	Uses
Canna lily			25	E
Description				
	se perennial herb, 90 cen			
large, thick, underground rootstock that is edible. Its large leaves resemble those of the banana				
plant but are not so large. The flowers of wild canna lily are usually small, relatively inconspicuous, and brightly colored reds, oranges, or yellows.				
	nuy colored reds, orange	s, or yellows.		
Edible Parts				
The large and much branched rootstocks are full of edible starch. The younger parts may be				
finely chopped and then boiled or pulverized into a meal. Mix in the young shoots of palm				
cabbage for flavoring.				-
Products	Product Value	Skill to Harvest/Craft		DC
Flowers	100	Prof. Herbalist		10
Root	5	Prof. Herbalist		20

		111111
Name	Identify DC	Uses
Carob tree	25	W, E
Description		
This large tree has a spreading crown. Its leaves are compound and alter	nate. Its seed	pods, also

known as Saint John's bread, are up to 45 centimeters long and are filled with round, hard seeds and a thick pulp. Edible Parts

The young tender pods are edible raw or boiled. You can pulverize the seeds in mature pods and cook as porridge.

Products	Product Value	Skill to Harvest/Craft	DC
Wood	10	Prof. Lumberjack / Survival	20
Pods	50	Survival	40

Name			Identify DC	Uses
Carrot			20	E
Description				
A small White flower co	vered stalk with bushy lea	aves.	D	
Edible Parts				
The root of the carrot is	one of the healthiest food	d that can be eaten raw	or cooked	
Other Uses	Other Uses Other Use DC			
Carrots are common ing	gredient in many potions.	(See Item Rules		
Products	Product Value	Skill to Harvest/Craft		DC
Carrot	150	Prof. Farming / Surviva	al	20
Potion	N/A	Chemistry (See Item F	Rules	N/A

Name			Identify DC	Uses	
Cashew nut			20	E, P, W	
Description				_,,,,,,	
The cashew is a spreading evergreen tree growing to a height of 12 meters, with leaves up to 20 centimeters long and 10 centimeters wide. Its flowers are yellowish-pink. Its fruit is very easy to recognize because of its peculiar structure. The fruit is thick and pear shaped, pulpy and red or yellow when ripe. This fruit bears a hard, green, kidney-shaped nut at its tip. This nut is smooth, shiny, and green or brown according to its maturity.					
Edible Parts	<u> </u>	,			
	eed. The seed is edible we ent. It is quite safe and co				
Caution		Threat ID DC	40		
	The green hull surrounding the nut contains a resinous irritant poison that will blister the lips and tongue like poison ivy. Heat destroys this poison when roasting the nuts. It does DC 15 Will vs 1d4 damage for 1d4 hours				
Other Uses		Other Use DC	40		
DC 20 Will save to make	e Itching Powder doing 2	d4 damage, an hour for	1d8 hours.		
Products	Product Value	Skill to Harvest/Craft		DC	
Wood	10	Prof. Lumberjack/ Surv	/ival	25	
Nut	200	Prof. Farming		40	
Itching Powder	150	Chemistry		40	

Name			Identify DC	Uses
Castor bean	Castor bean		35	D, P
Description				
in tropical regions and a		e, alternate, star like leave e regions. Its flowers are ops of the plants.		
Caution		Threat ID DC	10 - 1	
	e very poisonous to eat. ⁻ ant in the raw does 1d6 a	The seeds are large and n an hour for 1d12 hours	nay be mista	ken for
Other Uses		Other Use DC		1
	ours. The oil is used in po	ed poison and a fine oil. The transformed purpose		
Products	Product Value	Skill to Harvest/Craft		DC
Bean	100	Prof. Herbalist	T	10
Refined Poison	500	Chemistry		40
Potion	N/A	Chemistry (See Item R	ules)	N/A

Name			Identify DC	Uses
Catnip			25	D
Description				
Catnip is a 50–100 cm	tall perennial herb resem	bling mint in appearance	e, with grayish-	-green
leaves; the flowers are	white, finely spotted with	purple		
Catnip Soothes coughs	, it is used in processing	potions. (see item rules	for uses)	
Products	Product Value	Skill to Harvest/Craft		DC
Plant	50	Prof. Herbalist		10
Potion	N/A	Chemistry (See Item F	Rules)	N/A

Name			Identify DC	Uses	
Cattail			10	M, E	
Description					
Cattails are glasslike plants with strap-shaped leaves 1 to 5 centimeters wide and growing up to 1.8 meters tall. The male flowers are borne in a dense mass above the female flowers. These last only a short time, leaving the female flowers that develop into the brown cattail. Pollen from the male flowers is often abundant and bright yellow.					
Edible Parts					
source of starch. Pound	s are edible raw or cooke the rhizome to remove the arch. When the cattail is rn on the cob.	ne starch and use as flo	ur. The pollen	is also an	
Other Uses		Other Use DC	20		
rafts. The cottony seeds	The dried leaves are an excellent source of weaving material you can use to make floats and rafts. The cottony seeds make good pillow stuffing and insulation. The fluff makes excellent tinder. Dried cattails are effective insect repellents when burned.				
Products	Product Value	Skill to Harvest/Craft		DC	
Reed	10	Prof. Herbalist / Surviv	al	10	
Net	150	Craft Item		20	
Raft	3000	Craft Vehicle		40	
Stuffing	50	Craft Item		20	

Imbriaarts.com/rpg

				11111
Name			Identify DC	Uses
Cayenne pepper	25		E,S,D	
Description				
A small bush with little r	ed fruit.			
Edible Parts				
The fruit is Edible but ill	advised as its incredibly	spicy		1
Other Uses Other Use DC 30				
the juice can be used to and ground into a spice	create a form of mace to	spray in the eyes. Also	the plant can	be dried
Products	Product Value	Skill to Harvest/Craft		DC
Plant	50	Prof. Farming / Prof. He	erbalist	10
Fruit	150	Prof. Farming / Surviva	list	20
Pepper	100	Cooking		20
Mace	2000	Chemistry		40
Seed	10	Prof. Farming	T	20

Name			Identify DC	Uses
Celery			20	E, D
Description				
Long stems collected at	a based root with broad	green leaves, the stems	have a u sha	pe to them
Edible Parts				
The Stems are Edible a	nd even used as a dull sp	pice in cooking.		
Other Uses Other Use DC 40				
Celery has multiple use	s in the form of including	according to some one	that is used in	falling in
love, thus celery has us	es in potions. (See Items	Rules) For uses.		
Products	Product Value	Skill to Harvest/Craft		DC
Stalks	150	Prof. Farming		20
Seeds	100	Chemistry / Prof. Farm		30
Potion	N/A	Chemistry (See Item F	Rules)	N/A

Name			Identify DC	Uses
Cereus cactus			20	Е
Description				
These cacti are tall and	narrow with angled stem	s and numerous spines.		
Edible Parts				
The fruits are edible, bu	t some may have a laxati	ve effect.		
Other Uses Other Use DC 25				
The pulp of the cactus is	s a good source of water.	Break open the stem a	nd scoop out t	he pulp.
Products	Product Value	Skill to Harvest/Craft		DC
Fruit	100	Prof. Farmer / Survival		20
Fresh Water	50	Survival		30

©Imbria Arts 2015

Name			Identify DC	Uses
Chamomile			25	S,D
Description				
Daisy like flowering plar	nts			
Edible Parts				
The key plant in making Tea from its leaves				1
Other Uses		Other Use DC	40	
Chamomile Relaxant/Ca	almative which is used in	making potions. (See It	em Rules) for	uses. 💋 💋
Products	Product Value	Skill to Harvest/Craft		DC
Flowers	50	Prof. Herbalist		20
Теа	100	Cooking		20
Potion	N/A	Chemistry (See Item F	Rules)	N/A

Name			Identify DC	Uses	
Chanterelles		~	25	E	
Description					
A shelf like Mushroom g	rowing in clusters		12		
Edible Parts					
	All parts are edible and often used to mix in with meat like chicken to add flavor to the meat or even added to scrambled eggs.				
Products	Product Value	Skill to Harvest/Craft		DC	
Mushroom	200	Prof. Herbalist / Surviv	al	20	

Name			Identify DC	Uses
Cherry, Plum, Apricot			20	W,E,P,M,D
Description				
A massive flowering tree that has pink/white/ Purple blossoms depending on the type of fruit it				
bears. These trees are	said to be symbols of tim	e and mystical in their p	properties. After	er the bloom
falls it builds into a fruit	some small red, others Y	ellow and some purple.		
Edible Parts				
	dible and sought as a de			
, ,	llso be used to process w	• •	item rules for	effect). The
Wood is also said to bu	rn the flowers sweet sme	Il into food.		
Caution		Threat ID DC	20	
	ower can cause illness D	C 10 Fort vs. Sickness		
Other Uses		Other Use DC	35	
	sought for both their bea			
	by those with great wealt		e fruit is often	used to
	the form of potions. (See	,		
Products	Product Value	Skill to Harvest/Craft		DC
Wood	10	Prof. Lumberjack / Sur		20
Fruit	150	Prof. Farming / Surviva	al	30
Liquor	700	Cooking / Chemistry		30
Perfume	1000	Chemistry		40
Flower	500	Prof. Farming / Prof. H	lerbalist	10
Seed	50	Prof. Farming		40
Potion	N/A	Chemistry (See Item F	kules)	N/A

		99 111111 200
Name	Identify DC	Uses
Chicory	25	E,M
Description		

This plant grows up to 1.8 meters tall. It has leaves clustered at the base of the stem and some leaves on the stem. The base leaves resemble those of the dandelion. The flowers are sky blue and stay open only on sunny days. Chicory has a milky juice.

Edible Parts

All parts are edible. Eat the young leaves as a salad or boil to eat as a vegetable. Cook the roots as a vegetable. For use as a coffee substitute, roast the roots until they are dark brown and then pulverize them.

Products	Product Value	Skill to Harvest/Craft	DC
Plant	10	Prof. Herbalist / Prof. Farming	20
Coffee	100	Cooking	20

Name			Identify DC	Uses	
Chestnut			20	E, W	
Description					
The European chestnut	is usually a large tree, up	to 18 meters in height.			
Edible Parts					
Chestnuts are highly useful as survival food. Ripe nuts are usually picked in autumn, although unripe nuts picked while green may also be used for food. Perhaps the easiest way to prepare them is to roast the ripe nuts in embers. Cooked this way, they are quite tasty, and you can eat large quantities. Another way is to boil the kernels after removing the outer shell. After being boiled until fairly soft, you can mash the nuts like potatoes.					
Products	Product Value	Skill to Harvest/Craft		DC	
Wood	10	Prof. Lumberjack/ Surv		30	
Nuts	200	Prof. Farming / Surviva	al	30	

Name			Identify DC	Uses
Chili pepper	20	E,S,M		
Description				
	r cooked for its fiery hot fl		g the top of the	e pod. The
stem end of the pod has	s most of the glands that	produce the capsaicin		
Edible Parts				
The Fruit can be eaten	raw or cooked			
Other Uses		Other Use DC	25	
	sed as a medical to cure	pain and also can be us	ed to make a	mace. (See
Items Rules for uses in	Potions)			
Products	Product Value	Skill to Harvest/Craft		DC
Fruit	50	Farming / Herbalist / S	urvival	10
Spice	100	Prof. Herbalist		20
Mace	2000	Chemistry		40
Potion	N/A	Chemistry (See Item F	Rules)	N/A



							11/1
Name					Identify DO	C Use	s
Chufa	Carl	6411			25	E,M	5
Description							
This very comr	mon plant has	-		and the second se		-	0 to

60 centimeters. The mature plant has a soft fur like bloom that extends from a whorl of leaves. Tubers 1 to 2.5 centimeters in diameter grow at the ends of the roots. Edible Parts

The tubers are edible raw, boiled, or baked. You can also grind them and use them as a coffee substitute.

Products	Product Value	Skill to Harvest/Craft	DC
Reeds	50	Craft Item	10
Coffee	100	Cooking	20
Tuber	150	Survival	30

Name			Identify DC	Uses		
Clove			15	S,M		
Description						
The English name derives from Latin <i>calves</i> 'nail' as the buds vaguely resemble small irregular nails in shape.						
Other Uses		Other Use DC	30			
Clove is used in place of	of tobacco for smoking					
Products	Product Value	Skill to Harvest/Craft		DC		
Plant	50	Prof. Herbalist/ Surviva	ıl	10		
Tobacco	150	Craft Item		20		
Four Leaf Clover	100	Prof. Herbalist / Search	ו	50		

Name			Identify DC	Uses	
Cocoa Bean			25	E, W, D	
Description					
A small tree with a Leat	hery Reddish yellow pod	and broad dark green le	eaves.		
Edible Parts					
The plant is not edible but once the pods are fermented and cooked they become Cocoa powder which can be turned around and used to make Chocolate.					
Other Uses Other Use DC 25					
It is widely known that the potions. (See Item Rule	he chocolate has healing s for Uses)	properties. The powder	can be crafted	d into	
Products	Product Value	Skill to Harvest/Craft		DC	
Wood	10	Prof. Lumberjack / Sur	vival	20	
Bean	50	Prof. Farming		30	
Cocoa Powder	100	Cooking		20	
Chocolate	200	Cooking		40	
Potion	N/A	Chemistry (See Item F	Rules)	N/A	

Name			Identify DC	Uses		
Coconut			15	W, E, M, D		
Description						
This tree has a single, r	narrow, tall trunk with a cl	uster of very large leav	es at the			
top. Each leaf may be c	over 6 meters long with ov	ver 100 pairs of leaflets				
Edible Parts						
The nut is a valuable so	ource of food. The milk of	the young coconut is ri	ch in sugar an	d vitamins		
	rce of liquid. The nut mea					
	e sun until it is completel			. /		
Other Uses	· · · · · · · · · · · · · · · · · · ·	Other Use DC	25	1		
Use coconut oil craft DO	C chemical to cook and to	protect metal objects	from corrosion	. Also use		
	sores, sunburn, and dry					
	aterial and the leaves as					
	onut husks are good flota					
	items. Use the gauzelike					
to weave a bug net or to	o make a pad to use on w	ounds. The husk make	es a good abra	sive. Dried		
	nt tinder. A smoldering hu					
dripping coconut oil in a	a fire also repels mosquito	bes. To render coconut	oil, put the coo	conut meat		
	a slow fire, or boil it in a p					
good source of fresh liq	uid for the sea survivor. (For potion use see Iten	n Rules)			
Products	Product Value	Skill to Harvest/Craft		DC		
Wood	10	Prof. Lumberjack / Su	ırvival	20		
Coconut	100	Prof. Farming / Surviv	/al	30		
Oil	50	Cooking		20		
Potion	N/A	Chemistry (See Item	Rules)	N/A		
Fresh Water	50	Survival	-	30		
Rope	100	Craft Items		20		
Husk	5	Survival		10		

Name			Identify DC	Uses	
Coffee Bean			25	W, E	
Description					
A Small Woody Tree wi	th Pinkish to purple pods,	, and broad oval leaves.			
Edible Parts					
The pods are difficult ar	nd unadvised to eat until t	hey are roasted to make	e a bean. The	bean can	
then be grounded and processed into a cup of coffee					
Products	Product Value	Skill to Harvest/Craft		DC	
Wood	10	Prof. Lumberjack / Sur	rvival	10	
Coffee	100	Cooking		20	
Bean	500	Prof. Farming		20	

One Piece RPG

Name				Identify DC	Uses
Common juji	ube	614		20	E
Description					

The common jujube is either a deciduous tree growing to a height of 12 meters or a large shrub, depending upon where it grows and how much water is available for growth. Its branches are usually spiny. Its reddish-brown to yellowish-green fruit is oblong to ovoid, 3 centimeters or less in diameter, smooth, and sweet in flavor, but has rather dry pulp around a comparatively large stone. Its flowers are green.

Edible Parts						
The pulp, crushed in water, makes a refreshing beverage. If time permits, you can dry the ripe						
fruit in the sun like dates	s. Its fruits are high in vita	mins A and C.	1			
Products	Product Value	Skill to Harvest/Craft	DC			
Fruit	150	Prof. Farming / Survival	20			
Теа	100	Cooking	10			

Name		Identify D	C Uses		
Corn		15	E, M		
Description					
A tall green stalk	with large leafy pods ho	lding a yellow seed covered cob.			
Edible Parts					
		source of many foods, It can be crushed in			
Corn Meal, Or th	e seeds can be dried and	d rolled in oil to later be popped into popco	rn.		
Other Uses		Other Use DC 25			
The uses of the corn are practically endless but the main ones are it can be boiled down to a fuel					
source Ethanol a	and Also the seeds can b	e dried out then used as animal feed. The	cob can also		
be used to craft i	be used to craft items as well.				
Products					
Products	Product Value	Skill to Harvest/Craft	DC		
Corn	Product Value 150	Skill to Harvest/Craft Prof. Farming	DC 20		
Corn	150	Prof. Farming	20		
Corn Popcorn	150 200	Prof. Farming Cooking	20 25		
Corn Popcorn Meal	150 200 150	Prof. Farming Cooking Cooking	20 25 30		

	Name			Identify DC	Uses
Γ	Cotton			15	М
	Description				
	A small reedy plant that	woody and bears a fine v	white material over hard	pointy seeds.	
	Other Uses		Other Use DC	20	
	The fine white material	can be processed into ya	rn or string for sewing, T	he seed can b	be used as
	a sharp barb in sling she	ots or slings. Crushing the	e seeds produces a oil th	hat can be use	ed in
	cooking.				
	Products	Product Value	Skill to Harvest/Craft		DC
	Seeds	50	Prof. Farming		30
	Cotton	50	Prof. Farming		30
	Yarn	250	Craft Item		20
	String	500	Craft Item		30
	Oil	1000	Cooking		30

Name			Identify DC	Uses		
Cowage			25	M, D, E, P		
Description						
A vine like plant that gro	ows about trees and other	r plants with pea like be	ans as its frui	it.		
Edible Parts						
Boil and roast the peas	to make a coffee like drin	ık.		2		
Caution		Threat ID DC	40			
Eating the beans raw are poisonous (DC 20 2d6 an hour for 1d12 hours)						
Other Uses Other Use DC 40			1			
	e plant works as a rope r					
	d they can be made into a	a aphrodisiac or antidep	ressant. (See	Item Rules		
for potion uses)						
Products	Product Value	Skill to Harvest/Craft		DC		
Bean	10	Prof. Farming / Surviv	val	10		
Coffee	100	Cooking		20		
Potion	N/A	Chemistry (See Item Rules)		N/A		
Vine	50	Craft Items		30		

Name			Identify DC	Uses	
Cranberry			20	D, E	
Description					
This plant has tiny leaves arranged alternately. Its stem creeps along the ground. Its fruits are red berries.					
Edible Parts					
The berries are very tart when eaten raw. Cook in a small amount of water and add sugar, if available, to make a jelly /jam.					
Other Uses					
	a diuretic. They are usef (see items rules for use		ct infections.	Thus it is	
Products	Product Value	Skill to Harvest/Craft		DC	
Fruit	150	Prof. Farming / Surviva	al	40	
Jam/Jelly	100	Cooking		20	
Potion	N/A	Chemistry (See Item F	Rules)	N/A	

Name			Identify DC	Uses	
Crowberry			25	E	
Description					
This is a dwarf evergreen shrub with short needlelike leaves. It has small, shiny, black berries that					
remain on the bush throughout the winter.					
Edible Parts					
The fruits are edible fresh or can be dried for later use.					
Products	Product Value	Skill to Harvest/Craft		DC	
Fruit	150	Farming/ Herbalist / Si	urvival	25	



Name			Identify DC	Uses
Cucumber			15	E
Description				
A Small Ground Vine wi	ith little yellow flowers and	d Small greenish gourds		
Edible Parts				
The gourds are eaten raw or pickled				
Other Uses Other Use DC 30			30	
Cucumbers are used in	crafting of potions, (see I	tems rules for uses)		/
Products	Product Value	Skill to Harvest/Craft		DC
Fruit	150	Prof. Farming / Surviva	al	15
Pickles	200	Cooking		30
Potion	N/A	Chemistry (See Item R	Rules)	N/A

Name			Identify DC	Uses		
Cuipo tree			20	W, M		
Description						
	and easily detected tree					
height ranges from 45 to	o 60 meters. It has leaves	s only at the top and is b	are 11 months	s out of the		
	uth or canteen and raise t	he other. The water fron	n this tree tast	es like		
potato water.						
	Other Uses Other Use DC 25					
Use young saplings and the branches' inner bark to make rope.						
Products	Product Value	Skill to Harvest/Craft		DC		
Wood	10	Prof. Lumberjack / Sur	vival	50		
Rope	100	Craft Item		20		

Name			Identify DC	Uses	
Dandelion			10	M, E	
Description					
Dandelion leaves have a jagged edge, grow close to the ground, and is seldom more than 20 centimeters long. Its flowers are bright yellow. There are several dandelion species					
Edible Parts			-		
All parts are edible. Eat the leaves raw or cooked. Boil the roots as a vegetable. Roots roasted and ground is a good coffee substitute. Dandelions are high in vitamins A and C and in calcium.					
Other Uses		Other Use DC	40		
Use the white juice in the flower stems as glue.					
Products	Product Value	Skill to Harvest/Craft		DC	
Flower	10	Prof. Herbalist / Surviv	al	10	
Glue	100	Chemistry		35	

Name			Identify DC	Uses	
Date palm	Date palm			W, E, M	
Description					
The date palm is a tall,	un branched tree with a c	rown of huge, compound	d leaves. Its fi	ruit is	
yellow when ripe.	~7				
Edible Parts					
Its fruit is edible fresh but is very bitter if eaten before it is ripe. You can dry the fruits in the sun and preserve them for a long time.					
Other Uses		Other Use DC	20	1	
	able building material in c				
	lurable and you can use t	0	•		
base of the leaves rese	mbles coarse cloth that y	ou can use for scrubbing	g and cleaning	g. /	
Products	Product Value	Skill to Harvest/Craft		DC	
Wood	10	Prof. Lumberjack / Sur	vival	20	
Fruit	150	Prof. Farmer / Survival		10	
Leaves	10	Craft Item / Survival		20	

Name			Identify DC	Uses
Daylily			20	E
Description				
This plant has unspotted, tawny blossoms that open for 1 day only. It has long, Sword like, green basal leaves. Its root is a mass of swollen and elongated tubers.				
Edible Parts				
The young green leaves are edible raw or cooked. Tubers are also edible raw or cooked. You can eat its flowers raw, but they taste better cooked. You can also fry the flowers for storage.				
Products	Product Value	Skill to Harvest/Craft		DC
Tuber	150	Farming / Herbalist /S	urvival	20
Flower	50	Prof. Herbalist / Surviv	al	20

Name			Identify DC	Uses	
Death Cap			40	Р	
Description					
A large top with bright colors and a tall stalk					
Caution Threat ID DC 40					
Looking similar to many edible mushrooms it causes the liver to breakdown and be destroyed. It is one of the highly deadliest mushrooms in the world 3d8 a round for 2d20 rounds Resistance DC 25, Processing the poison has shown no real effect					
Products	Product Value	Skill to Harvest/Craft		DC	
Mushroom	100	Herbalist		40	

Name			Identify DC	Uses	
Death camas, death lil	25	P			
Description					
	bulb and may be mistake				
	s are six-parted and the		art-shaped stru	ucture on	
them. The flowers grow	on showy stalks above th	ne leaves.		3	
Caution	Caution Threat ID DC 35				
The poison does 2d8 a	round damage for 1d12 r	ninutes Resistance DC	15, the poison	in raw 💋	
form does 1d8 damage	a round for 1d6 minutes	Resistance DC 15.			
Products	Product Value	Skill to Harvest/Craft		DC	
Plant	10	Prof. Herbalist		20	
Refined Poison	200	Chemistry		45	

Name			Identify DC	Uses
Dill seed			25	E,S,D
Description				
It grows to 40–60 cm (1	6–24 in), with slender ste	ms and alternate, finely	divided, softly	delicate
leaves10-20 cm (3.9-7	.9 in) long		X	
Edible Parts				
The stems and leaves a	re edible raw or cooked.			
Other Uses		Other Use DC	40	
Dill and Dill oil used to s	soothe the stomach after	meals, so it's used in pot	ion crafting (S	See Craft
Items Rules for uses)		-		
Products	Product Value	Skill to Harvest/Craft		DC
Dill	50	Prof. Herbalist		15
Potion	N/A	Chemistry (See Item ru	lles)	N/A

Name		Identify DC	Uses	
Duchesnea or Indian s	Duchesnea or Indian strawberry		20	E
Description				
The duchesnea is a small plant that has runners and three-parted leaves. Its flowers are yellow and its fruit resembles a strawberry.				
Edible Parts				
Its fruit is edible. Eat it fresh.				
Products	Product Value	Skill to Harvest/Craft		DC
Fruit	100	Farmer /Herbalist /Sur	vival	10

Name			Identify DC	Uses	
Elderberry			20	E	
Description	Description				
	emmed shrub with opposition				
	ragrant, white, and borne		ters up to 30 d	centimeters	
across. Its berrylike fruit	s are dark blue or black v	vhen ripe.			
Edible Parts					
	re edible. You can make	a drink by soaking the fl	ower heads fo	r 8 hours,	
discarding the flowers, a	and drinking the liquid.				
Products	Product Value	Skill to Harvest/Craft		DC	
Fruit	50	Prof. Farming / Surviva		10	
Wine	3000	Cooking (effects match	n Item Wine)	40	
Jam/ Jelly	1000	Cooking		30	

Name		Identify DC	Uses	
False Morels			25	M,P
Description				
A large solitary mushro	om with sponge like head			
Caution		Threat ID DC	25	
Eating the mushrooms rounds. DC 15 Resista	raw can cause one to get nce	sick doing 1d8 damag	e a round for 1	d20
Other Uses		Other Use DC	40	/
Processing the poison	from the mushrooms crea	ites a powerful Rocket	fuel source.	1
Products	Product Value	Skill to Harvest/Craft		DC
Mushroom	100	Herbalist		20
Rocket Fuel	30,000	Chemistry		75

Name			Identify DC	Uses
Fireweed		~	20	E
Description				
This plant grows up to 1.8 meters tall. It has large, showy, pink flowers and lance shaped leaves. Its relative, the dwarf fireweed (Epilobium latifolium), grows 30 to 60 centimeters tall.				
Edible Parts				
The leaves, stems, and flowers are edible in the spring but become tough in summer. You can split open the stems of old plants and eat the pith raw.				
Products	Product Value	Skill to Harvest/Craft		DC
Plant	10	Survival / Prof. Herbali	st	30

Name			Identify DC	Uses
Fishtail palm			20	W, E
Description				
Fishtail palms are large trees, at least 18 meters tall. Their leaves are unlike those of any other palm; the leaflets are irregular and toothed on the upper margins. All other palms have either fan- shaped or featherlike leaves. Its massive flowering shoot is borne at the top of the tree and hangs downward.				
Edible Parts				
The chief food in this palm is the starch stored in large quantities in its trunk. The juice from the fishtail palm is very nourishing and you have to drink it shortly after getting it from the palm flower shoot. Boil the juice down to get a rich sugar syrup. Use the same method as for the sugar palm to get the juice. The palm cabbage may be eaten raw or cooked.				
Products	Product Value	Skill to Harvest/Craft		DC
Wood	10	Prof. Lumberjack / Sur	vival	10
Sugar	200	Cooking		25
Juice	10	Cooking / Survival		10

Name			Identify DC	Uses
Foxtail grass			25	E
Description				
This weedy grass is readily recognized by the narrow, cylindrical head containing long hairs. Its				
grains are small, less th	an 6 millimeters long. The	e dense heads of grain	often droop wh	nen ripe.
Edible Parts	Edible Parts			
	w but are very hard and s	sometimes bitter. Boiling	removes som	ne of the
bitterness and makes them easier to eat.				
Products	Product Value	Skill to Harvest/Craft		DC
Grain	10	Prof. Farming /Cooking	g	20

Name			Identify DC	Uses	
Fenugreek			25	D, S	
Description					
A seedy clover like plan	t. Used both as a herd ar	nd a Spice (makes curry			
Other Uses		Other Use DC	40	1	
Can be to promote milk production in women and crafted into a natural hormone it also can be used to make a low cost maple syrup. The medical properties have this used in potion crafting (See item rules for uses)					
Products	Product Value	Skill to Harvest/Craft		DC	
Plant	50	Prof. Herbalist / Surviv	al	10	
Syrup	150	Cooking		30	
Potion	N/A	Chemistry (see item ru	iles)	N/A	

Name			Identify DC	Uses	
Garlic			20	E, G, M, D	
Description					
Allium cernuum is an ex	ample of the many speci	es of garlic.	J.		
Edible Parts					
The bulbs and young lea	The bulbs and young leaves are edible raw or cooked. Use in soup or to flavor meat.				
Other Uses		Other Use DC	25		
Garlic juice works as an	າ antibiotic on wounds. Dເ	ue to this it's used in po	tions (see iter	n rules for	
uses)					
Products	Product Value	Skill to Harvest/Craft		DC	
Garlic	50	Farming/ Herbalist / S	Survival	20	
Potion	N/A	Chemistry (See Item	Rules)	N/A	

Name			Identify DC	Uses
Goa bean			25	E
Description				
The Goa bean is a climbing plant that may cover small shrubs and trees. Its bean pods are 22 centimeters long, its leaves 15 centimeters long, and its flowers are bright blue. The mature pods are 4-angled, with jagged wings on the pods.				
Edible Parts				
You can eat the young pods like string beans. The mature seeds are a valuable source of protein after parching or roasting them over hot coals. You can germinate the seeds (as you can many kinds of beans) in damp moss and eat the resultant sprouts. The thickened roots are edible raw. They are slightly sweet, with the firmness of an apple. You can also eat the young leaves as a vegetable, raw or steamed.				
Products	Product Value	Skill to Harvest/Craft		DC
Beans	150	Herbalist / Farmer / Su	irvival	20
Leaves	5	Prof. Herbalist /Surviva	al	10



Name			Identify DC	Uses
Ginger			20	E,D
Description				
Ginger produces cluster	rs of white and pink flowe	r buds that bloom into y	ellow flowers	
Edible Parts				
The root is edible yet bit	tter in taste. 🛛 🎽 🦷			1
Other Uses		Other Use DC	40	
Ginger can help ease na	ausea from chemotherap	y. Due to its medical use	e its used for o	rafting
potions. (see item rules	for uses)			1
Products	Product Value	Skill to Harvest/Craft		DC
Potion	N/A	Chemistry (See Item F		N/A
Root	200	Herbalist / Farmer / Su	ırvival	30

Name			Identify DC	Uses	
Ginseng			25	D	
Description					
also known as Ginnsuu in some regions of Asia, mainly China, is any one of eleven distinct species of slow-growing perennial plants with fleshy roots					
Other Uses Other Use DC 45					
	Aids digestion, cures hepatitis C, lowers blood pressure, increases stamina. Due to its medical use its used to craft potions (see item rules for uses)				
Products	Product Value	Skill to Harvest/Craft		DC	
Root	100	Herbalist / Farming / S	urvival	20	
Potion	N/A	Chemistry (See item ru	ules)	N/A	

Name			Identify DC	Uses
Grape vine			20	E,M
Description				
The grape vine climbs with the aid of tendrils. Most grape vines produce deeply lobed leaves similar to the cultivated grape. Grapes grow in pyramidal; hangings bunch and are black-blue to amber, or white when ripe.				
Edible Parts				
The ripe grape is the portion eaten. Grapes are rich in natural sugars and, for this reason, are much sought after as a source of energy-giving wild food. None are poisonous.				
Other Uses		Other Use DC	40	
You can obtain water from severed grape vine stems. Cut off the vine at the bottom and place the cut end in a container. Make a slant-wise cut into the vine about 1.8 meters upon the hanging part. This cut will allow water to flow from the bottom end. As water diminishes in volume, make additional cuts further down the vine. For wine see (Item Rules for the effects)				
Products	Product Value	Skill to Harvest/Craft		DC
Fruit	100	Prof. Farming / Surviva	al	30
Fresh Water	50	Survival		20
Wine	3000	Cooking / Chemistry (See items)	N/A

©Imbria Arts 2015

Name		Identify DC	Uses
Grapefruit		20	E,D,W
Description			

These evergreen trees are usually found at around 5–6 meters (16–20 ft) tall, although they can reach 13–15 meters (43–49 ft). The leaves are dark green, long (up to 150 mm, or 6 inches) and thin. It produces 5 cm (2 in) white four-petal flowers. The fruit is yellow-orange skinned and largely an sphere shaped fruit; it ranges in diameter from 10–15 cm. The flesh is segmented and acidic, varying in color depending on the cultivars, which include white, pink and red pulps of varying sweetness.

Edible Parts					
The fruit is edible				5	
Other Uses	Other Uses		20	1	
The high content of Vita	min C in this fruit makes	it a great source to be use	ed in creating	g a vitamin	
to help fight off diseases. This sets this as an ingredient for potions for uses (See Item rules)					
Products	Product Value	Skill to Harvest/Craft		DC	
Fruit	200	Prof. Farming / Survival		20	
Wood	10	Prof. Lumberjack / Surv		20	
Potion	N/A	Chemistry (See Item Ru	lles)	N/A	

Name			Identify DC	Uses
Green Bean			15	E
Description				
Short plants, growing to approximately two feet in height, without requiring supports. They generally reach maturity and produce all of their fruit in a relatively short period of time, then cease to produce. Gardeners may grow more than one crop of bush beans in a season. Edible Parts				then
The Beans pods of the plant are edible cooked or even eaten raw				
Products	Product Value	Skill to Harvest/Craft		DC
Bean Pod	100	Prof. Farming / Surviva	al	10
Seed	50	Prof. Farming		10

Name			Identify DC	Uses
Green Pepper			10	E
Description				
A small Vine-like plant with Large green fruit in the form of a bell				
Edible Parts				
The fruit is edible and often when its green its considered to be best eaten raw but can be cooked				
as well				
Products	Product Value	Skill to Harvest/Craft		DC
Fruit	100	Prof. Farming / Surviva	al	10
Seed	20	Prof. Farming		20

PHETH RED VER REDR CORNERINE WARDED FOR ROMATING TO THE SAME AND THE AREA DEPENDED FOR DEPENDENCE AND REALED AND REPORT AND REPORT

Name			Identify DC	Uses
Green seaweed			10	E,D
Description				
		often found washing ash		
pools and calmer oce	ean waters. It contains hi	gh amounts of lodine, Ca	alcium, and Mag	nesium.
Edible Parts				
The whole plant is ed	lible as long as its boiled	and/or baked.		A.B
Other Uses Other Use DC 35				
powder creates a cal	cium powder also good f	e used to clean and trea or medical treatments of	bone fractures.	Due to it
		see uses (See Item Rule		
Products	Product Value	Skill to Harvest/Crat	ft	DC
Seaweed	50	Fisherman / Surviva	al /Farmer	30
lodine	1500	Chemistry		20
Potion	500	Chemistry (See iten	n rules)	N/A

Name			Identify DC	Uses
Hackberry			25	W,E
Description				
Hackberry trees have smooth, gray bark that often has corky warts or ridges. The tree may reach 39 meters in height. Hackberry trees have long-pointed leaves that grow in two rows. This tree bears small, round berries that can be eaten when they are ripe and fall from the tree. The wood of the hackberry is yellowish. Edible Parts				
	en they are ripe and fall f	from the tree.		
Products	Product Value	Skill to Harvest/Craft		DC
Wood	10	Prof. Lumberjack/ Sur		30
Fruit	150	Prof. Farmer / Surviva		40

Name			Identify DC	Uses
Hazelnut or wild filber	t		20	W,E
Description				
Hazelnuts grow on bush	nes 1.8 to 3.6 meters high	n. One species in Turkey	and another	in China
are large trees. The nut	itself grows in a very bris	tly husk that conspicuou	usly contracts	above the
nut into a long neck. Th	e different species vary ir	this respect as to size	and shape.	
Edible Parts				
Hazelnuts ripen in the a	utumn when you can cra	ck them open and eat th	e kernel. The	dried nut is
extremely delicious. The	e nut's high oil content ma	akes it a good survival fo	od. In the unr	ipe stage,
you can crack them ope	en and eat the fresh kerne	el.		
Products	Product Value	Skill to Harvest/Craft		DC
Wood	150	Prof. Lumberjack/ Sur	/ival	10
Nuts	10	Prof. Farmer / Surviva		20

PHETH BEN VER BENR CNRKHEUM FV RMMT NXHTTIX FOCHE SMIMITIET VER NCMETMU FTM MERM ITVE XET TE IMBRIFERTU KEM RCX

Name			Identify DC	Uses
Hemlock, fool's parsle	y All All		40	P
Description				
purple or red striped or	grow to 2.5 meters high. mottled. Its white flowers g, turnip like taproot is so	are small and grow in sr		
Caution		Threat ID DC	40	
to confuse with wild car or Queen Anne's lace h not. The poison in its ra	nous and even a very sma rot or Queen Anne's lace, as hairy leaves and stem w form does 1d4 END da for 1d12 minutes Resista	especially in its first sta s and smells like carrot. mage for 1d6 minutes R	ge of growth. Poison hemlo	Wild carrot ock does
Products	Product Value	Skill to Harvest/Craft		DC
Plant Refined Poison	10 200	Prof. Herbalist / Surviv Chemistrv	al	15 40

Name			Identify DC	Uses
Hops			25	E,M
Description				
	en called "cones") of <i>H. Iu</i>		os, and are use	ed as a
culinary flavoring and st	abilizer, especially in the	brewing of beer		
Edible Parts				
The hops can be ground	d up and becomes flour, o	or boiled to make Ale, A	lso can be use	ed to make
a sleep aid. For Ale and	Beer (See Item Rules) for	or its effect and its use in	n potions.	
Products	Product Value	Skill to Harvest/Craft		DC
Grain	50	Prof. Farming / Cookin		10
Ale/Beer	300	Cooking / Chemistry (I		N/A
Potion	N/A	Chemistry (See Items	Rules	

Name			Identify DC	Uses		
Horseradish tree			20	W, E, S		
Description						
long, pendulous fruits gr	5 to 14 meters tall. Its lear row on the ends of the bra g pods are triangular in cr	anches. Its fruit (pod) lo	oks like a gian	t bean. Its		
Edible Parts						
short lengths and cook t young fruits of palms an part of a salad. You can	The leaves are edible raw or cooked, depending on their hardness. Cut the young seedpods into short lengths and cook them like string beans or fry them. You can get oil for frying by boiling the young fruits of palms and skimming the oil off the surface of the water. You can eat the flowers as part of a salad. You can chew fresh, young seedpods to eat the pulpy and soft seeds. The roots may be ground as a substitute for seasoning similar to horseradish.					
Products	Product Value	Skill to Harvest/Craft		DC		
Wood	10	Prof. Lumberjack / Sur	vival	15		
Leaves	5	Survival		20		
Pods	50	Prof. Herbalist / Surviv	ral	20		
Horseradish	200	Cooking		30		
Root	100	Prof. Herbalist / Surviv	ral	30		
Flower	100	Prof. Herbalist / Surviv	'al	20		

PHETH BEN VER BENR CNRKHEUM FV RMMT FIXHTTIX FFCHE & WIWITIET VER NOWETMU FTW MERMITE XET TE IMERIFERTUKEN RCX

One Piece RPG

Maria				11111
Name			Identify DC	Uses
Iceland moss			25	E, D
Description				
All parts of the Iceland r	noss are edible. During the	ne winter or dry season,	it is dry and c	runchy but
	Boil the moss to remove the			
	ening agent, This moss g			
gray, white, or even red			Nº/	.,
Edible Parts				
Dried plants store well.				1
Other Uses		Other Use DC	40	/
The moss has a great re	esistance to cold temps n	naking it good for potion	use, (See iter	m rules for
uses)				
Products	Product Value	Skill to Harvest/Craft		DC
Plant	10	Survival	1	20
Potion	N/A	Chemistry (See Item R	ules)	N/A

Name			Identify DC	Uses
Indian potato or Eskimo potato		25	E	
Description				
All Claytonia species are somewhat fleshy plants only a few centimeters tall, with showy flowers				y flowers
about 2.5 centimeters a	about 2.5 centimeters across.			
Edible Parts				
The tubers are edible by	ut you should boil them b	efore eating.		
Products	Product Value	Skill to Harvest/Craft		DC
Potato	150	Farming / Herbalist / S	urvival	25

Name			Identify DC	Uses
Indonesian Cinnamo	า		25	S, W
Description				
Is a small evergreen tr	ee belonging to the family	, the spice obtained from	n the tree's bai	ſk
Products	Product Value	Skill to Harvest/Craft		DC
Wood	10	Prof. Lumberjack/ Sur	vival	10
Cinnamon	100	Prof. Herbalist / Surviv	ral	20

Name			Identify DC	Uses
Irish moss			15	E,D
Description				
	ourple seaweed found thr			s of the
ocean, the plant carries	strong amounts of lodine	and sulfur within its ste	ams.	
Edible Parts				
The whole plant is edible	e once boiled or baked.			
Other Uses Other Use DC 25				
	duce lodine which can be			
	powder that can be used			
Stink bomb does DC 15	Resistance vs sickness.		Resistance vs	Blindness.
Products	Product Value	Skill to Harvest/Craft		DC
Seaweed	50	Survival / Fishing / Far	ming	20
lodine	1500	Chemistry		40
Stink bomb	200	Chemistry		25
Flash Powder	500	Chemistry		35

Name	Identify DC	Uses
Ivy, Poison / Poison ivy and poison oak	25	P, D
Description		

These two plants are quite similar in appearance and will often crossbreed to make a hybrid. Both have alternate, compound leaves with three leaflets. The leaves of poison ivy are smooth or serrated. Poison oak's leaves are lobed and resemble oak leaves. Poison ivy grows as a vine along the ground or climbs by red feeder roots. Poison oak grows like a bush. The greenish white flowers are small and inconspicuous and are followed by waxy green berries that turn waxy white or yellow, then gray.

 Caution
 Threat ID DC
 25

 All parts, at all times of the year, can cause serious contact dermatitis. Causes rash that does 1d4 damage a day for 1d6 days DC 20 Resistance. Itching Powder 1d12 damage for 1d12 hours DC 20 Resistance.
 20 Resistance.

Products	Product Value	Skill to Harvest/Craft	DC
Plant	10	Survival / Prof. Herbalist	30
Itching Powder	1000	Chemistry	45

Name			Identify DC	Uses
Jack-O-Lantern			25	P,D
Description				
A shelf like Mushroom found in clumps on trees. Bright Orange in color.				
Edible Parts				
Caution		Threat ID DC	25	
While Not deadly the m	ushroom causes great pa	in and sickness. DC 20	Resistance vs	s. Illness
Other Uses		Other Use DC	45	
	an make a Strong Healir			ut the
poison. Due to this the r	mushroom can be used ir	n potions, (see items rule	es for uses)	
Products	Product Value	Skill to Harvest/Craft		DC
Mushroom	50	Prof. Herbalist		50
Potion	N/A	Chemistry (See Item F	Rules)	N/A

Name			Identify DC	Uses
Jasmine			20	S,M,E
Description				
Small shrubs or vines th	at grow olive like flowers			
Edible Parts				
The leaves are edible and used in spices.				
Other Uses		Other Use DC	20	
Jasmine can be made ir	n to a fine perfume that is	well loved		
Products	Product Value	Skill to Harvest/Craft		DC
Spice	200	Prof. Herbalist / Pro. Farmer 10		10
Perfume	5000	Chemistry 40		40
Flower	50	Prof. Herbalist		20

			a 111111a
Name		Identify DC	Uses
Juniper		25	W,E,M
Description			

Junipers, sometimes called cedars, are trees or shrubs with very small, scale like leaves densely crowded around the branches. Each leaf is less than 1.2 centimeters long. All species have a distinct aroma resembling the well-known cedar. The berrylike cones are usually blue and covered with a whitish wax.

Edible Parts

The berries and twigs are edible. Eat the berries raw or roast the seeds to use as a coffee substitute. Use dried and crushed berries as a seasoning for meat. Gather young twigs to make a tea.

Other Uses		Other Use DC 20	
Sap can be used as a F	Resin or glue		1
Products	Product Value	Skill to Harvest/Craft	DC
Wood	10	Prof. Lumberjack / Survival	15
Fruit	150	Farmer / Herbalist / Survival	20
Теа	100	Cooking	10
Coffee	100	Cooking	25
Glue/Resin	100	Chemistry	20

Name			Identify DC	Uses	
Kale, Spring Lettuce, Collards 20 E,D					
Description					
Green or purple, in which the central leaves do not form a head. It is considered to be closer to wild cabbage than most domesticated forms					
Edible Parts					
The entire leaf is edible	raw or cooked it is mainly	y eaten cooked			
Other Uses		Other Use DC	40		
The vitamins in this plar rules for uses)	The vitamins in this plant while not useful on its own can be used to help potions out, (See Items rules for uses)				
Products	Product Value	Skill to Harvest/Craft		DC	
Plant	100	Prof. Farming / Surviva		20	
Potion	N/A	Chemistry (see item ru	ıles)	N/A	

Name			Identify DC	Uses
Kelp			15	E,D
Description				
A large seaweed found in vast areas of ocean.				
Edible Parts				
The whole plant is edible once boiled				
Other Uses		Other Use DC	25	
	d to ash the ash is the ch		te Which has	many
medical uses, (see item	rules for uses in potions)			
Products	Product Value	Skill to Harvest/Craft		DC
Plant	50	Fishing / Survival / Far	ming	30
Potion	N/A	Chemistry		N/A

Name			Identify DC	Uses	
Lavender			20	S,E,M,D	
Description					
are a genus of 39 speci	es of flowering plants in t	he mint family known for	their purple f	lowers	
Edible Parts					
The plant is edible but is	The plant is edible but is more used for a spice for flavoring				
Other Uses		Other Use DC	25		
Lavender is used for its	smell as a perfume, but a	also is used as a drug fo	r medical use	, for that 🥖	
reason it can be used in	potions (see items rules	for uses)		1	
Products	Product Value	Skill to Harvest/Craft		DC	
Flower	50	Herbalist /Farmer/ Survival 10		10	
Perfume	5000	Chemistry		40	
Potion	N/A	Chemistry (see item ru	iles)	N/A	

Name			Identify DC	Uses
Lemon			20	E,W,D,M
Description				
a small evergreen tree native to Asia, and the tree's oval yellow fruit.				
Edible Parts				
The fruit of the plant is even made into fruit ju	-	er. It can be made into car	idy served to f	lavor foods
Other Uses		Other Use DC	20	
bugs that does 2d10 t	o Insects of END per use	hade into a simple weak a e. Lastly the Juice holds s I. For the healing propertie	trong germ cle	eansing
Products	Product Value	Skill to Harvest/Craft		DC
Wood	10	Prof. Lumberjack / Su	rvival	10
Fruit	150	Prof. Farmer / Surviva		15
Potion	N/A	Chemistry (See Item I	Rules)	N/A
Insecticide	500	Chemistry		25
Cleaning Solution	300	Chemistry / Prof. Maio	ł	20
Seeds	50	Prof. Farming		30

	Name			Identify DC	Uses	
	Lemongrass 25 S,E,D					
	Description					
	A bushy patch of citrus	flavored grass				
	Edible Parts					
	The whole plant is edible.					
	Other Uses		Other Use DC	25		
_	Lemongrass has strong	healing properties and ca	an be used as Medicine	, its used in po	otions (see	
	item rules for uses)					
	Products	Product Value	Skill to Harvest/Craft		DC	
	Grass	50	Prof. Herbalist / Surviv	al	50	
	Potion	N/A	Chemistry (See Item F	lules)	N/A	

Imbriaarts.com/rpg

Name			Identify DC	Uses		
Lettuce			20	E		
Description						
a temperate annual or b vegetable.	a temperate annual or biennial plant of the daisy family. It is most often grown as a leaf vegetable.					
Edible Parts						
The plant is fully edible	raw and is often eaten th	nat way.	nu -			
Products	Product Value	Skill to Harvest/Craft		DC		
Plant	100	Prof. Farmer		10		

Name			Identify DC	Uses
Licorice, Liquorice	25	S,E,D		
Description				
A small fern like plant w	ith pods		1	
Edible Parts				
The pods are edible				
Other Uses		Other Use DC	25	
	rice has been use througl are a useful ingredient in p			is and
Products	Product Value	Skill to Harvest/Craft		DC
Pods	50	Farming / Herbalist/ Su		10
Plant	100	Prof. Farming /Prof. Herbalist		20
Potion	N/A	Chemistry (See Item R	lules)	N/A

Name			Identify DC	Uses
Lime			20	W,E,M
Description				
a small evergreen tree r	native to Asia, and the tre	e's oval green fruit.		
Edible Parts				
The fruit is edible raw and can be made into candy, flavoring or even a fruity drink				
Other Uses Other Use DC 20				
	is Limes only have one ex	xtra use and that's the ju	lice makes a f	ine
perfume				
Products	Product Value	Skill to Harvest/Craft		DC
Wood	10	Prof. Lumberjack / Sur	vival	10
Fruit	150	Prof. Farming / Surviva	al	20
Perfume	2000	Chemistry		35

			A
Name		Identify DC	Uses
Lotus		20	E,M
Description			

There are two species of lotus: one has yellow flowers and the other pink flowers. The flowers are large and showy. The leaves, which may float on or rise above the surface of the water, often reach 1.5 meters in radius. The fruit has a distinctive flattened shape and contains up to 20 hard seeds.

Edible Parts

All parts of the plant are edible raw or cooked. The underwater parts contain large quantities of starch. Dig the fleshy portions from the mud and bake or boil them. Boil the young leaves and eat them as a vegetable. The seeds have a pleasant flavor and are nutritious. Eat them raw, or parch and grind them into flour.

Other Uses		Other Use DC	20	
Lotus can be used to make perfume.			1	
Products	Product Value	Skill to Harvest/Craft		DC
Flower	50	Prof. Herbalist / Survivo	r	20
Rare Color	+250	N/A		N/A
Flour	100	Cooking		25
Perfume	5000	Chemistry	S.	40

Name			Identify DC	Uses	
Lantana			25	Р	
Description					
Lantana is a shrub-like	plant that may grow up to	45 centimeters high. It	has opposite,	round	
leaves and flowers bori	he in flat-topped clusters.	The flower color (which	varies in differ	ent areas)	
may be white, yellow, c	range, pink, or red. It has	a dark blue or black bei	rylike fruit. A o	distinctive	
	is plant is its strong scent				
Edible Parts	· · · · · · · · · · · · · · · · · · ·				
Caution		Threat ID DC	40		
All parts of this plant ar	e poisonous if eaten and	can be fatal. This plant o	auses dermat	itis in	
some individuals. Raw	Poison does 1d6 END da	mage a round for 1d4 rc	unds Resistar	nce DC 15,	
Refined the poison does 1d12 End damage a round for 1d6 rounds Resistance DC 20					
Products	Product Value	Skill to Harvest/Craft		DC	
Plant	5	Prof. Herbalist		10	
Refined Poison	200	Chemistry		40	

Name			Identify DC	Uses	
Laver			20	E, D	
Description					
A seaweed that has greater	at values in the form of Ic	odine and Iron. Most con	nmonly known	as	
Japanese Nori. It's a gre	eat source of vitamins ne	eded and lays easily in t	idal pools and	calm	
ocean watery areas.					
Edible Parts					
The whole plant is edible	e once it has been boiled	or baked.			
Other Uses		Other Use DC	20		
	duce a medically used ve				
and treat infection. The	product can be used in c	rafting potions. (see iten	ns rules for us	es)	
Products	Product Value	Skill to Harvest/Craft		DC	
Seaweed	10	Fishing / Farming / Su	rvival	30	
lodine	30	Chemistry		40	
Potion	N/A	Chemistry (See Item F	lules)	N/A	

Name			Identify DC	Uses
Manchineel			40	P,W
Description				
	reaching up to 15 meters wers. Its fruits are green			and spikes
Caution		Threat ID DC	45	
This tree is extremel	y toxic. It causes severe	dermatitis in most individu	uals after only .5	5 hour. 🛛 💋
Even water dripping	from the leaves may cau	se dermatitis. The smoke	from burning it	
	part of this plant should			
	mage a minute for 1d20 n		ts Blindness an	d does 3d8
damage a round for	1d12 rounds DC 20 Resis	stance		1
Products	Product Value	Skill to Harvest/Craft	:	DC
Wood	10	Prof. Lumberjack		50
Poison Gas	2000	Chemistry		60
Poison Liquid	1000	Chemistry		40

Name			Identify DC	Uses
Mango			20	W, E
Description				
This tree may reach 30	meters in height. It has a	Iternate, simple, shiny, c	lark green lea	ves. Its
flowers are small and in	conspicuous. Its fruits ha	ve a large single seed.	There are mar	ıy
cultivated varieties of ma	ango. Some have red fle	sh, others yellow or orar	nge, often with	many
fibers and a kerosene ta	iste.	-	-	-
Edible Parts				
The fruits area nutritious	s food source. The unripe	fruit can be peeled and	its flesh eater	n by
shredding it and eating i	t like a salad. The ripe fro	uit can be peeled and ea	aten raw. Roas	sted seed
kernels are edible.				
Products	Product Value	Skill to Harvest/Craft		DC
Wood	10	Prof. Lumberjack / Sur	vival	30
Fruit	100	Prof. Farming / Surviva	al	30

Name			Identify DC	Uses		
Manioc			20	Е, М		
Description						
Manioc is a perennial sl	nrubby plant, 1 to 3 meter	s tall, with jointed stems	and deep gre	en,		
fingerlike leaves. It has	large, fleshy rootstocks.					
Edible Parts						
The rootstocks are full of	of starch and high in food	value. Two kinds of mai	nioc are knowi	n: bitter		
	ble. The bitter type conta					
	esh manioc root into a pu					
	ots. Then flatten the pulp					
	flour will keep almost indefinitely if protected against insects and dampness. Wrap them in					
banana leaves for protection.						
Products	Product Value	Skill to Harvest/Craft		DC		
Root	50	Prof. Herbalist / Surviv	al	40		

2 Th				
Name			Identify DC	Uses
Marsh marigold			20	E
Description				
This plant has rounded,	, dark green leaves arisi	ng from a short stem. It h	as bright yello	w flowers.
Edible Parts				
All parts are edible if bo	viled.			1
Products	Product Value	Skill to Harvest/Craft		DC
Plant	10	Prof. Herbalist / Surviv	/al	10
Flower	50	Prof. Herbalist / Surviv	/al	10

Name			Identify DC	Uses
Morels			20	E,M
Description				
A large solitary mushroo	om with sponge like head		1	
Edible Parts				
The whole plant is edibl	e but must be cooked)	
Caution		Threat ID DC	25	
Eating the mushrooms	raw can cause one to get	sick doing 1d8 damage	a round for 10	120
rounds. Cooking the mu	ishroom destroys the pois	son DC 15 Resistance to	avoid effects	
Other Uses		Other Use DC	40	
Processing the poison f	rom the mushrooms crea	tes a powerful Rocket fu	el source.	
Products	Product Value	Skill to Harvest/Craft		DC
Mushroom	100	Prof. Herbalist / Surviva	al	10
Rocket Fuel	30,000	Chemistry		75

Name			Identify DC	Uses
Mulberry			20	E,M,P,D
Description				
This tree has alternate,	simple, often lobed leave	s with rough surfaces. It	s fruits	
are blue or black and m	any seeded.	-		
Edible Parts				
The fruit is edible raw or cooked. It can be dried for eating later.				
Caution		Threat ID DC	40	
	mulberry fruit acts as a l			
	sea and cramps. DC 15 \			perties can
	ison that does DC20 Will	vs Illusions for 1d10 ho	urs.	
Other Uses		Other Use DC	25	
You can shred the inner	r bark of the tree and use	it to make twine or cord	•	
Products	Product Value	Skill to Harvest/Craft		DC
Fruit	150	Herbalist / Farmer/ Su	rvival	20
Twine	100	Craft Item		20
Illusion Poison	2000	Chemistry		40

Name		Identify DC	C Uses
Mushtake		40	E
Description			
A long stemmed Mushro	oom with a tall brown ca	p	
Edible Parts			
This highly prized mush world. It has the taste of		any and can rarely be found through es.	out the
Products	Product Value	Skill to Harvest/Craft	DC
Mushroom	50,000	Herbalist / Farming / Survival	30

Name			Identify DC	Uses
Mustard			25	E,M,S
Description				
A tall yellow flowering p	lant with many flowers or	n a stem	1	
Edible Parts				
Caution		Threat ID DC	12	
			1	
Other Uses		Other Use DC	25	
On top of making Musta	ard spice, it also can be u	sed to make Mustard Ga	as a deadly Cl	nemical
Gas (See Item Rules fo	r effect and use)		-	
Products	Product Value	Skill to Harvest/Craft		DC
Plant	100	Herbalist/ Farmer / Su	rvival	20
Mustard	150	Cooking (crit. failure m		40
Mustard Gas	2500	Chemistry (See Item F	Rules)	N/A

Name			Identify DC	Uses
Nettle			20	E, M
Description				,
These plants grow several feet high. They have small, inconspicuous flowers. Fine, hairline bristles cover the stems, leafstalks, and undersides of leaves. The bristles cause a stinging sensation when they touch the skin.				
Edible Parts	,			
	leaves are edible. Boilir stles. This plant is very n	ng the plant for 10 to 15 minu autritious.	tes destroys the	e stinging
Other Uses		Other Use DC	20	
Mature stems have a fibrous layer that you can divide into individual fibers and use to weave string or twine.				
Products	Product Value	Skill to Harvest/Craft		DC
Shoots	50	Prof. Herbalist / Surv	ival	30
Twine	100	Craft Item		20

PHETH BEN VER BENR CNRKNEUM FV RMMT FIXHTTIX FFCHF & WIWITIET VER NCWETMU FTW MERM ITVE XET TE IMBRIFERTU KEN RCX

Name			Identify DC	Uses
Nipa palm			20	E, M
Description				
This palm has a short, mainly underground trunk and very large, erect leaves up to 6 meters tall. The leaves are divided into leaflets. A flowering head forms on a short erect stern that rises among the palm leaves. The fruiting (seed) head is dark brown and may be 30 centimeters in diameter.				
Edible Parts				
	and the seeds provide a g ce. The juice is rich in sug			e flower
Other Uses		Other Use DC	20	5
The leaves are exceller	nt as thatch and coarse w	eaving material.		1
Products	Product Value	Skill to Harvest/Craft		DC
Leafs	10	Craft Items	1	10
Seed	50	Herbalist / Farming / S	urvival	20
Juice	100	Survival		30

Name			Identify DC	Uses
Nutmeg			25	E,S,D,W
Description				
A small tree with a egg	like nut and small white fl	owers		
Edible Parts				
The nut is edible but co	mmonly used as a spice.			
Other Uses		Other Use DC	25	
	neg can be made into a d Dazed effect for 1d8 rou		s, and nausea	a. DC 15
Products	Product Value	Skill to Harvest/Craft		DC
Nut	150	Prof. Herbalist/ Surviv	al	15
Wood	10	Prof. Lumberjack / Sur	vival	10
Drug	1500	Chemistry		40

Name			Identify DC	Uses	
Oak			15	W, E, M	
Description					
Oak trees have alternate leaves and acorn fruits. There are two main groups of oaks: red and white. The red oak group has leaves with bristles and smooth bark in the upper part of the tree. Red oak acorns take 2 years to mature. The white oak group has leaves without bristles and a rough bark in the upper portion of the tree. White oak acorns mature in 1 year.					
Edible Parts					
usually have a better fla acorns in water for 1 to putting wood ashes in th	All parts are edible, but often contain large quantities of bitter substances. White oak acorns usually have a better flavor than red oak acorns. Gather and shell the acorns. Soak red oak acorns in water for 1 to 2 days to remove the bitter substance. You can speed up this process by putting wood ashes in the water in which you soak the acorns. Boil the acorns or grind them into flour and use the flour for baking. You can use acorns that you baked until very dark as a coffee substitute				
Other Uses		Other Use DC	40		
Oak bark soaked in wat	er produces a tanning so	lution used to preserve I	eather.		
Products	Product Value	Skill to Harvest/Craft		DC	
Wood	10	Prof. Lumberjack / Sur	vival	30	
Nut	100	Prof Herbalist / Surviva	al	20	
Persevere	500	Craft Item		30	
Coffee	100	Cooking		30	

PHETH BEN VER BENR CNRKHEUM FV RMMT FIXHTTIX FFCHE & WIWITIET VER NOWETMU FTW MERM ITVE XET TE IMERIFERTUKEN RCX

Name			Identify DC	Uses
Oats			15	E,M
Description				
A simple long grass with	h individual seeds held to	ogether by a thin strand.		
Edible Parts				
The seeds are edible ra	aw but can be processed	into flour, brand, even co	ooked in to a f	ine mush.
Other Uses Other Use DC 15				1
The plant in all make a	good animal feed			1
Products	Product Value	Skill to Harvest/Craft		DC
Grain	50	Prof. Farming / Surviva	al	10
Flour	100	Cooking		15
Seed	50	Prof. Farming		15
Feed	100	Prof. Farming / Prof. R	lancher	20

Name			Identify DC	Uses
Oleander			25	W,P
Description				
	white, yellow, red, pink, o	eters, with alternate, very s r intermediate colors. Its fi		
Edible Parts				
Caution		Threat ID DC	40	
1d4 END damage a access to poison G	a round for 1d8 rounds D	3 END damage a round fo PC resistance 15 on both. I ound for 1d12 rounds Results unds, Resistance Dc 20	Refining the pois	son gains
Other Uses		Other Use DC		
-				
Products	Product Value	Skill to Harvest/Craf	t	DC
Leaves	50	Prof. Herbalist		20
Wood	10	Prof. Lumberjack / S	Survival	10
Liquid Poison	1500	Chemistry		35
Poison Gas	2000	Chemistry		45

Name			Identify DC	Uses
Olive			20	W,E,D,M
Description				
A small bushy tree with	small long almost grass I	ike leaves and little gree	en fruits.	
Edible Parts				
While the Leaves and C	il form the tree are edible	e and can be used in coo	oking the fruits	are the
most edible parts. They	are eaten raw or ferment	ed to flavor.		
Other Uses		Other Use DC	20	
	ealing properties when b	oiled into a tea, due to it	s healing prop	oerties, it is
used to form potions (se	e item rules for uses)			
Products	Product Value	Skill to Harvest/Craft		DC
Fruit	100	Prof. Farmer/ Survival		20
Pit	50	Prof. Farmer		30
Oil	1000	Cooking		30
Potion	N/A	Chemistry (See Item F	lules)	N/A

PHETH BEN VER BENR CNRKHEUM FV RMMT NXHTTIX FOCHE SMIMITIET VER NCMETMU FTM MERM ITVE XET TE IMBRIFERTU KEM RCX

Name		Identify D	C Uses
Onion		20	E, G, M, D
Description			
Allium cernuum is	an example of the ma	ny species of onions	263 (
Edible Parts			
The bulbs and yo	ung leaves are edible r	aw or cooked. Use in soup or to flavor me	at.
Other Uses		Other Use DC 25	
	tities of onions will give 2d6 End Damage per u	e your body an odor that will help to repel i se on insects.	nsects.
Products	Product Value	Skill to Harvest/Craft	DC
Onion	50	Farming / Herbalist / Survival	15
Bulb	50	Prof. Farming	10
Insecticide	100	Chemistry	30

				-
Name			Identify DC	Uses
Orach			12	E
Description				
This plant is vine like in	growth and has arrowhe	ad-shaped, alternate lea	ves up to 5 ce	entimeters
long. Young leaves may	be silver-colored. Its flow	vers and fruits are small	and inconspic	uous.
Edible Parts				
The entire plant is edible	e raw or boiled.			
Caution		Threat ID DC		
Other Uses		Other Use DC		
Products	Product Value	Skill to Harvest/Craft		DC
Plant	50	Prof. Herbalist / Surviv	al	20

Name			Identify DC	Uses	
Orange			15	E,W,D,M	
Description					
An evergreen flowering tree generally growing to 9–10 m in height (although very old specimens					
	e leaves are arranged al			ulated	
margins and are 4–10 c	m long. It bears a orange	colored fruit, a type of l	berry.		
Edible Parts					
The fruit is edible and ca	an be use in a massive a	mount of ways from raw	to seasoning,	to making	
sweets and juice.					
Other Uses		Other Use DC	20		
The Flower can be used	I to make Perfume, the P	eel A fine Wax, The juic	e can be mad	e into a	
Cleaning Solution which	grants +30 to Profession	n Maid skill. Also a powe	erful Vitamin to	fight off	
disease and other chem	icals for health that is us	ed in potions. (See Item	s Rules for us	es)	
Products	Product Value	Skill to Harvest/Craft		DC	
Wood	10	Prof. Lumber / Surviva	l	10	
Fruit	150	Prof. Farming / Surviva	al	15	
Juice	200	Cooking		10	
Perfume	2000	Chemistry		35	
Marmalade / Jelly	1000	Cooking		25	
Wax	1000	Craft Item		35	
Cleaning Solution	500	Chemistry / Pro. Maid		30	
Flower	500	Prof. Herbalist		10	
Potion	N/A	Chemistry (see item ru	ıles)	N/A	

Name		Identify DC	Uses
Oregano		20	S
Description			
A small Clover like	flowering plant		31
Products	Product Value	Skill to Harvest/Craft	DC
Plant	50	Prof. Herbalist / Prof. Farmer	10

Name			Identify DC	Uses
Palmetto palm			20	W, E, M
Description				
The palmetto palm is a tall, un branched tree with persistent leaf bases on most of the trunk. The leaves are large, simple, and palmate lobed. Its fruits are dark blue or black with a hard seed.				
Edible Parts	·			
	v. The hard seeds may be t any time. Cut off the top			lm is a
Products	Product Value	Skill to Harvest/Craft		DC
Wood	10	Prof. Lumberjack / Sur	vival	20
Fruit	150	Prof. Farming / Surviva	al	20
Seeds	5	Prof. Farming		30
Flour	100	Cooking		20

Name			Identify DC	Uses
Pangi			25	W,P
Description				
This tree, with heart-	shaped leaves in spirals	s, reaches a height of 18 m	eters. Its flower	rs grow in
spikes and are gree	n in color. Its large, brow	nish, pear-shaped fruits gr	ow in clusters.	
Edible Parts				
Caution		Threat ID DC	25	
		n the Raw Poison Does Do		
a minute for 1d20 M	inutes. Processed it doe	s DC 20 Resistance 1d10	END a minute f	or 1d12
Minutes.				
Other Uses		Other Use DC		
Products	Product Value	Skill to Harvest/Craft		DC
Wood	10	Prof. Lumber / Surviv	/al	30
Fruit	10	Prof. Herbalist		20
Refined Poison	500	Chemistry		35

PHETH BEN VER BENR CNRKHEUM FV RMMT NXHTTIX FOCHE SMIMITIET VER NCMETMU FTM MERM ITVE XET TE IMBRIFERTU KEM RCX

Plant Guide

Name			Identify DC	Uses	
Papaya or pawpaw			20	E,M	
Description					
	ree 1.8 to 6 meters tall, w				
	exudes a milky juice. The trunk is rough and the leaves are crowded at the trunk's apex. The fruit				
	trunk, among and below t			pening.	
	w or remains greenish wi	th a squash like appeara	ince.		
Edible Parts					
	ritamin C. Eat it raw or co				
	ook the young papaya lea	aves, flowers, and stems	carefully, cha	anging the	
water as for taro.					
Caution		Threat ID DC	35		
•	e milky sap from the unrip	5 5			
	nes even permanentblir				
	s, results of a 1 on the sa	ave could have blindness	s become mor	e	
permanent.					
Other Uses		Other Use DC	40		
Use the milky juice of th	e unripe fruit to tenderize	tough meat. Rub the jui	ce on the mea	at.	
Products	Product Value	Skill to Harvest/Craft		DC	
Fruit	150	Prof. Farmer/ Survival		10	
Juice	100	Cooking		30	
Blinding Spray	500	Chemistry		40	

Name			Identify DC	Uses	
Parsley			20	S	
Description					
a stalky leafy green plar	a stalky leafy green plant				
Products	Product Value	Skill to Harvest/Craft		DC	
Plant	50	Prof. Herbalist / Surviv	al	20	

Name			Identify DC	Uses
Pea			20	E,M
Description				
A small Vine like plant t	hat is all green with broad	l leaves and a pod like b	ean for fruit.	
Edible Parts				
While the shoots can be	e eaten the seeds inside a	are the main dish of this	plant eaten dr	ied, or
cooked it's a handy plar	nt for adding flavor to mea	als.		
Other Uses		Other Use DC	40	
	process the pods chemic	cal makeup into a new a	nd durable ma	aterial
similar to glass yet less	likely to shatter.			
Products	Product Value	Skill to Harvest/Craft		DC
Pod	100	Prof. Farming / Surviva		10
Plant	50	Prof. Framing		10
Plastic	5,000,000	Chemistry		65

PHETH BEN VER BENR CNRKNEUM FV RMMT FIXHTTIX FFCHF & WIWITIET VER NCWETMU FTW MERM ITVE XET TE IMBRIFERTU KEN RCX

One Piece RPG

Name			Identify DC	Uses
Peach			20	E,W,M
Description				
A large tree The I	eaves are lanceolate	, 7-16 cm (2.8-6.3 in) long, 2-3 c	m (0.79–1.2 ir	n) broad,
		uced in early spring before the lea		
		ive petals. The fruit has yellow or	whitish flesh, a	a delicate
	n that is either velvety	or smooth	TU /	
Edible Parts				
The fruit of the tre	e is edible and can b	e used to season other foods or r	nake a fruit jui	ce with it.
Other Uses		Other Use DC	25	/
The Flower of the	tree can be used to	make a fine perfume		1
Products	Product Valu	e Skill to Harvest/Craft		DC
Wood	10	Prof. Lumberjack / Su	rvival	20
Fruit	150	Prof. Farming / Surviv	al	20
Pit	50	Prof. Farming		30
Perfume	2000	Chemistry		35

Name			Identify DC	Uses	
Peanut			20	E,M	
Description					
	A small green like plant low to the ground with yellow flowers a four broad leaves to a stem reaching into the ground.				
Edible Parts					
the only truly edible part	The roots are a bean grown underground sought for its high protean. The seeds in the pod are the only truly edible parts that can be eaten raw, Salted or flavored, Boiled or even processed into other means The Nuts produce a small amount of oil that can be extracted and used as a fuel source.				
Products	Product Value	Skill to Harvest/Craft		DC	
Nuts	100	Herbalist / Farming / S	Survival	20	
Plant	50	Prof. Farming		10	
Peanut Butter	500	Cooking		25	
Flour	250	Cooking		20	
Oil	1000	Cooking		40	

Name			Identify DC	Uses
Pear			20	E,W,M
Description				
They are medium sized	trees, reaching 10–17 m	tall, often with a tall, na	rrow crown; a	few
	e leaves are alternately a			
	silvery-hairy in some othe			
lanceolate. The wood fro	om this tree is highly sou	ght in crafting musical in	struments inc	reasing its
value.				
Edible Parts				
The Fruit is edible raw a	nd can be used to seaso	n other foods or be mad	le into a juice.	
Products	Product Value	Skill to Harvest/Craft		DC
Wood	200	Prof. Lumberjack		50
Fruit	150	Prof. Farming / Surviva	al	20
Seeds	50	Prof. Farming		30

Name			Identify DC	Uses
Peppermint			25	E, S, D
Description				
A small Green jagged e	dged leafed plant			
Edible Parts				
The whole plant is edible				
Other Uses		Other Use DC	30	
This plant has medical	properties and is used in	the crafting of potions. (See Item Rule	s for uses)
Products	Product Value	Skill to Harvest/Craft		DC
Plant	50	Prof. Herbalist / Surviv	/al	15
Spice	100			20
Potion	N/A	Chemistry (See Item F	Rules)	N/A

Name			Identify DC	Uses
Persimmon			20	E, W, M, P
Description				
These trees have alternate, dark green, elliptic leaves with entire margins. The flowers are				
inconspicuous. The fruit	ts are orange, have a stic	ky consistency, and ha	ve several se	eds.
Edible Parts				
	source of vitamin C. The		baked. To ma	ke tea, dry
the leaves and soak the	em in hot water. You can	eat the roasted seeds.		
Caution		Threat ID DC	40	
	e milky sap from the unrip			
	nes even permanent—bli			
	sistance vs Blindness (the	e result of a critical failu	re it can beco	me
permanent)				
Products	Product Value	Skill to Harvest/Craft		DC
Leaves	50	Prof. Herbalist / Survi	val	10
Теа	100	Cooking		20
Refined Poison	1500	Chemistry		35
Sap	50	Survival		40
Wood	10	Prof. Lumberjack/ Su	rvival	20

Name			Identify DC	Uses
Physic nut	hysic nut			Р
Description				
This shrub or small tree	has large, 3- to 5-parted	alternate leaves. It has	small, greenis	h-yellow
flowers and its yellow, a	apple-sized fruits contain f	three large seeds.		
Caution Threat ID DC 25				
The seeds taste sweet	but their oil is violently pu	rgative. All parts of the p	physic nut are	poisonous.
	ND per hour for 1d6 hours	S DC 15 Resistance, pro	cessed does ?	1d8 END
an hour for 1d12 hours DC 20 Resistance				
Products	Product Value	Skill to Harvest/Craft		DC
Fruit	50	Survival		20
Processed poison	200	Chemistry		40

				1111118
Name			Identify DC	Uses
Pincushion cactus			20	E
Description				
Members of this cactus	group are round, short, b	parrel-shaped, and witho	ut leaves.	
Sharp spines cover the	entire plant.			
Edible Parts				
They are a good source	of water in the desert.		NJ -/	
Caution		Threat ID DC		1
		55		1
Other Uses		Other Use DC		1
				1
Products	Product Value	Skill to Harvest/Craft		DC
Fresh Water	50	Survival		30

Name			Identify DC	Uses	
Pine			20	E, W, M	
Description					
contain one to five need	Pine trees are easily recognized by their needlelike leaves grouped in bundles. Each bundle may contain one to five needles, the number varying among species. The tree's odor and sticky sap provide a simple way to distinguish pines from similar looking trees with needlelike leaves.				
Edible Parts					
spring, as a survival foo off the bark of thin twigs	The seeds of all species are edible. You can collect the young male cones, which grow only in the spring, as a survival food. Boil or bake the young cones. The bark of young twigs is edible. Peel off the bark of thin twigs. You can chew the juicy inner bark; it is rich in sugar and vitamins. Eat the seeds raw or cooked. Green pine needle tea is high in vitamin C.				
Other Uses		Other Use DC	40		
Use the resin to waterproof articles. Also use it as glue. Collect the resin from the tree. If there is not enough resin on the tree, cut a notch in the bark so more sap will seep out. Put the resin in a container and heat it. The hot resin is your glue. Use it as is or add a small amount of ash dust to strengthen it. Use it immediately. You can use hardened pine resin as an emergency dental filling.					
Products	Product Value	Skill to Harvest/Craft		DC	
Needles	10	Prof. Herbalist/ Surviva	al	30	
Cones	30	Survival		10	
Wood	10	Prof. Lumberjack / Sur	vival	30	
Resin	1500	Craft Item		40	

Name			Identify DC	Uses
Pineapple			20	E,D
Description				
a herbaceous short-lived perennial plant which grows to 1.0 to 1.5 meters (3.3 to 4.9 ft) tall. After				
	l, side shoots are produce			hese may
be removed for propagation, or left to produce additional fruits on the original plant.				
Edible Parts	Edible Parts			
	the plant is edible once c			can be
eaten raw used as seas	oning in cooking, cooked	or even made in a juice	drink.	
Other Uses		Other Use DC	40	
	e ground into a simple he	aling solution, due to thi	s its useable f	or crafting
potions (see items rules	for uses)			
Products	Product Value	Skill to Harvest/Craft		DC
Fruit	200	Prof. Farming / Surviva		40
Potion	N/A	Chemistry (See Item R	lules)	N/A

Name			Identify DC	Uses
Plantain, broad and na	rrow leaf		20	E, D
Description				
The broad leaf plantain has leaves over 2.5 centimeters across that grow close to the ground. The flowers are on a spike that rises from the middle of the cluster of leaves. The narrow leaf plantain has leaves up to 12 centimeters long and 2.5 centimeters wide, covered with hairs. The leaves form a rosette. The flowers are small and inconspicuous.				
Edible Parts				
The young tender leaves are edible raw. Older leaves should be cooked. Seeds are edible raw or roasted.				lible raw or
Caution		Threat ID DC		1
Other Uses		Other Use DC	40	
To relieve pain from wo	unds and sores, wash an	d soak the entire plant for	or a short time	and apply
it to the injured area. To	treat diarrhea, drink tea	made from 28 grams (1	ounce) of the	plant
leaves boiled in 0.5 liter of water. The seeds and seed husks act as laxatives, due to this its useable for crafting potions (see items rules for uses)				
Products	Product Value	Skill to Harvest/Craft		DC
Leaves	10	Prof. Farming / Surviva	al	30
Potion	N/A	Chemistry (see item ru	les)	N/A

Name			Identify DC	Uses
Pokeweed			25	E,D,M,P
Description			-	,,,,
This plant may grow as high as 3 meters. Its leaves are elliptic and up to 1 meter in length. It produces many large clusters of purple fruits in late spring.				
Edible Parts				
, ,	The young leaves and stems are edible cooked. Boil them twice, discarding the water from the first boiling. The fruits are edible if cooked.			
Caution Threat ID DC 45				
plant as these contain the centimeters tall or when	e poisonous if eaten raw. he highest concentrations red is showing in the pla lesistance, Refined Pois	s of the poisons. Do not o int. In the raw the poison	eat any plant does 1d4 EN	over 25 ID a round
Other Uses		Other Use DC	45	
The juice of the berries crafting potions (see ite	is used in dye and also u ms rules for uses)	sed in some medicine, d	ue to this its ι	useable for
Products	Product Value	Skill to Harvest/Craft		DC
Fruit	50	Prof. Herbalist / Surviv	al	50
Dye	100	Craft Item		100
Potion	N/A	Chemistry		N/A
Poison	1500	Chemistry		1500

PHETH BEN VER BENR CNRKNEUM FV RMMT FIXHTTIX FFCHF & WIWITIET VER NCWETMU FTW MERM ITVE XET TE IMBRIFERTU KEN RCX

Plant Guide

One Piece RPG

Name			Identify DC	Uses			
Рорру			25	E,D			
Description							
A large red to white tulip	b like flower						
Edible Parts	Edible Parts						
Seeds are edible							
Other Uses Other Use DC 25							
terminal patients. Dried	Opium and Morphine are made from the refined and modified sap is used for pain control in terminal patients. Dried sap was used as a traditional medicine until the 19th century. Poppy seeds Helps sleeping/relieves pain (see Item Rules for effects)						
Products	Product Value	Skill to Harvest/Craft		DC			
Flower	50	Farmer/ Herbalist / Sur	vival	10			
Seeds	50	Prof. Farmer		10			
Morphine	50,000	Chemistry (see item rule		N/A			
Opium	10,000	Chemistry (see item rule	es)	N/A			

Name			Identify DC	Uses	
Potato			20	E	
Description					
A small Bushy plant with wide and sticks slightly	h several flowers in colors out of the ground.	s of white, yellow, pink a	nd so on. The	root is	
Edible Parts	Edible Parts				
cooked a variety of way	The potato is only edible cooked, in the raw it is toxic (Fort Save 15 DC vs. Sickness) it can cooked a variety of ways and also be used to produce a strong alcoholic beverage Vodka (see item rules for effect and crafting of Vodka)				
Products	Product Value	Skill to Harvest/Craft		DC	
Potato	150	Prof. Farmer / Surviva		20	
Vodka	2000	Cooking / Chemistry (See Items)	N/A	

Name			Identify DC	Uses
Prickly pear cactus			20	E, D
Description				
This cactus has flat, pad-like stems that are green. Many round, furry dots that				
contain sharp-pointed	hairs cover these stems.			
Edible Parts				
All parts of the plant are edible. Peel the fruits and eat them fresh or crush them to prepare a				
refreshing drink. Avoid	the tiny, pointed hairs. Ro		them to a flou	ır.
Caution Threat ID DC				
Other Uses		Other Use DC	25	
The pad is a good sou	rce of water. Peel it carefu	ally to remove all sharp h	airs before pu	tting it in
your mouth. You can a	also use the pads to promo	ote healing. Split them ar	nd apply the p	ulp to
wounds. Pads do 1d8	healing.			-
Products	Product Value	Skill to Harvest/Craft		DC
Fruit	100	Prof. Herbalist / Surviv	al	
Pads	1000	Survival / Medical		

One Piece RPG

Name			Identify DC	Uses
Psilocybin			25	D, P
Description				
A Small and thin stemm	ned brown mushroom			
Caution		Threat ID DC	40	
this mushroom causes hallucinations DC 15 Will vs. Illusions for 1d4 hours				1
Other Uses Other Use DC 40				
	e powerful Hallucinate dru cine to heal deadly injuries			
items rules for uses)			for oraning p	
Products	Product Value	Skill to Harvest/Craft		DC
Mushroom	100	Prof. Herbalist / Surviva	al	20
Drug	5000	Chemistry (See Item R	ules)	N/A
Potion	N/A	Chemistry (See Item R	ules)	N/A

Name			Identify DC	Uses
Puffball			20	E
Description				
A round topped to puff s	shaped Mushroom type ir	n a variety of colors and	shapes.	
Edible Parts				
All parts are edible.				
Products	Product Value	Skill to Harvest/Craft		DC
Mushroom	100	Farming / Herbalist / S	Survival	20

Name			Identify DC	Uses
Pumpkin			15	E, M
Description				
A large ground vine with	n yellow flowers and broa	d five prong leaves, and	large green to	o orange
colored fruit.				
Edible Parts	Edible Parts			
	is edible given its prepar			
cooked while the shell of	an be eaten raw or cooke	ed. The pumpkin is high	in vitamins an	id can even
be made into a juice.				
Other Uses		Other Use DC	20	
	pumpkin shells into lanter			
	e un used pumpkin is also		alternate sour	ce of
	e plants vine is also usefu			
Products	Product Value	Skill to Harvest/Craft		DC
Fruit	200	Prof. Farming / Surviva	al	20
Lantern	50	Craft Item		15
Rope	100	Craft Item		20
Seeds	50	Cooking / Prof. Farmin	Ig	20

©Imbria Arts 2015

PHETH BEN VER BENR CNRKNEUM FV RMMT FIXHTTIX FFCHF & WIWITIET VER NCWETMU FTW MERM ITVE XET TE IMBRIFERTU KEN RCX

			111111
~	Name	Identify DC	Uses
	Purslane	25	E, M
	Description		
	This plant grows close to the ground. It is seldom more than a few centir	neters tall. Its s	stems and
	leaves are fleshy and often tinged with red. It has paddle shaped leaves,	2.5 centimete	r or less
	long clustered at the tips of the stoms. Its flowers are vellow or pink. Its	coode are tiny	and black

long, clustered at the tips of the stems. Its flowers are yellow or pink. Its seeds are tiny and black. Edible Parts All parts are edible. Wash and boil the plants for a tasty vegetable or eat them raw. Use the seeds as a flour substitute or eat them raw.

seeus as a nour substitu	eeds as a hour substitute of ear them haw.				
Products	Product Value	Skill to Harvest/Craft	DC		
Plant	50	Prof. Herbalist / Survival	20		
Flower	100	Prof. Herbalist	10		

Name			Identify DC	Uses	
Radish			20	E	
Description					
A small Stalk plant with	a small red bulb or large	white stalk at the root.	2		
Edible Parts					
The whole plant is edib	The whole plant is edible yet the root has the most nutrition, it can be eaten raw or cooked.				
Products	Product Value	Skill to Harvest/Craft		DC	
Plant	100	Farming / Herbalist / S	urvival	10	

Name			Identify DC	Uses	
Rattan palm			20	W, E, M	
Description					
The rattan palm is a stout, robust climber. It has hooks on the midrib of its leaves that it uses to remain attached to trees on which it grows. Sometimes, mature stems grow to 90 meters. It has alternate, compound leaves and a whitish flower.					
Edible Parts					
roasted or raw. In other	nsiderable amount of star kinds, a gelatinous pulp, The palm heart is also ed	either sweet or sour, su			
Other Uses		Other Use DC	20		
You can obtain large amounts of potable water by cutting the ends of the long stems. The stems can be used to make baskets and fish traps.					
Products	Product Value	Skill to Harvest/Craft		DC	
Wood	10	Prof. Lumberjack/ Surv	/ival	30	
Materials	10	Craft Items		20	
Pulp	50	Cooking		30	

Name			Identify DC	Uses
Red Pepper			15	E
Description				
A small Vine-like pla	ant with Large red fruit in	the form of a bell		
Edible Parts				
The fruit is edible an	nd often when its green it	ts considered to be best eate	n raw but can	be cooked
as well				
Products	Product Value	Skill to Harvest/Craft		DC
Fruit	100	Prof. Farming / Survival		
Seeds	50	Prof Farming		

Name			Identi	fy DC	Uses	
Reed			15		E, M	
Description						

This tall, coarse grass grows to 3.5 meters tall and has gray-green leaves about 4 centimeters wide. It has large masses of brown flower branches in early summer. These rarely produce grain and become fluffy, gray masses late in the season.

Edible Parts

All parts of the plant are edible raw or cooked in any season. Harvest the stems as they emerge from the soil and boil them. You can also harvest them just before they produce flowers, then dry and beat them into flour. You can also dig up and boil the underground stems, but they are often tough. Seeds are edible raw or boiled, but they are rarely found.

Products	Product Value	Skill to Harvest/Craft	DC
Reed	10	Prof. Herbalist / Survival	20
Flour	100	Cooking	30

Name			Identify DC	Uses		
Reindeer moss 25 E						
Description						
	Reindeer moss is a low-growing plant only a few centimeters tall. It does not flower but does produce bright red reproductive structures.					
Edible Parts						
Edible Parts: [25] The entire plant is edible but has a crunchy, brittle texture. Soak the plant in water with some wood ashes to remove the bitterness, then dry, crush, and add it to milk or to other food.						
Products	Product Value	Skill to Harvest/Craft		DC		
Moss	10	Prof. Herbalist / Surviv	al	20		

Name			Identify DC	Uses	
Renghas tree, Ma	rking nut		20	P, D	
Description					
A small tree that pr	oduces a small nut simila	r to a cashew in nature. W	ithin its broad o	ar like	
leaves.					
Caution		Threat ID DC	40		
The nut is toxic in r	nature unprocessed does	1d3 END an hour for 1d6 I	nours Resistand	ce DC 15	
Other Uses		Other Use DC	45		
The nut can be boiled then roasted and ground into a fine powered that has great healing properties. Also the nut in its raw can be used as form of marking device with its black mark it leaves behind. due to this its useable for crafting potions (see items rules for uses)					
Products	Product Value	Skill to Harvest/Craft		DC	
Marker Nut	50	Prof. Herbalist		20	
Potion	N/A	Chemistry (See Item	rules)	N/A	

				111111
Name			Identify DC	Uses
Reishi			25	D
Description				
A large and flat shelf lil	ke mushroom with a choo	colate brown color		
Other Uses		Other Use DC	25	1
A strongly and widely s	ought mushroom for me	dical purposes. It can b	e used to make	a strong
Healing potion. due to	this its useable for craftin	g potions (see items ru	les for uses)	
Products	Product Value	Skill to Harvest/Craft	t	DC
Mushroom	100	Herbalism / Farming		20
Potion	N/A	Chemistry (See item	rules)	N/A

Name			Identify DC	Uses			
Rice			25	E			
Description	Description						
	averages 1 to 1.5 meters Ids at the top of the plant						
Edible Parts							
Remove the tough cove	During the spring and summer, the central portion of the lower sterns and root shoots are edible. Remove the tough covering before eating. During the late summer and fail, collect the straw- covered husks. Dry and parch the husks, break them, and remove the rice. Boil or roast the rice and then beat it into flour.						
Products	Product Value	Skill to Harvest/Craft		DC			
Rice	100	Prof. Farming		20			
Plant	50	Prof. Farming		10			
Flour	200	Cooking		20			

Name			Identify DC	Uses	
Rock tripe			25	E	
Description					
This plant forms large patches with curling edges. The top of the plant is usually black. The underside is lighter in color.					
Edible Parts					
The entire plant is edible. Scrape it off the rock and wash it to remove grit. The plant may be dry and crunchy; soak it in water until it becomes soft. Rock tripe's may contain large quantities of bitter substances; soaking or boiling them in several changes of water will remove the bitterness.					
Products	Product Value	Skill to Harvest/Craft		DC	
Plant	50	Prof. Herbalist / Surviv	al	20	

Name			Identify DC	Uses
Rose apple			20	E, W
Description				
	neters high. It has opposit		hiny leaves. W	/hen fresh,
it has fluffy, yellowish-gr	reen flowers and red to pr	urple egg-shaped fruit.		
Edible Parts				
The entire fruit is edible	raw or cooked.			
Products	Product Value	Skill to Harvest/Craft		DC
Fruit	100	Prof. Farmer / Surviva		20
Wood	10	Prof. Lumberjack / Sur	vival	20

Name			Identify DC	Uses		
Rosary pea or crab's	eyes ///		25	P~		
Description						
This plant is a vine with are red and black.	This plant is a vine with alternate compound leaves, light purple flowers, and beautiful seeds that are red and black.					
Caution		Threat ID DC	40			
This plant is one of the most dangerous plants. One seed may contain enough poison to kill an adult. In the Raw DC 25 Resistance vs. 1d6 END a minute for 1d4 minutes, Processed the poison does 1d8 END for 1d6 minutes DC 25 Resistance.						
Products	Product Value	Skill to Harvest/Craft		DC		
Plant	30,000	Prof. Herbalist / Surviv	al	40		
Refined Poison	100,000	Chemist		60		

Name			Identify DC	Uses
Rosemary			25	S,M
Description				
A small evergree	n woody like flowerin	g plant with a mustard like sm	ell.	
Other Uses Other Use DC 25			25	
Believed to hold s rules for uses)	some healing propert	ies, due to this its useable for	crafting potions (s	ee items
Products	Product Valu	e Skill to Harvest/C	raft	DC
Plant	100	Prof. Herbalist / P	Prof. Herbalist / Prof. Farmer	
Spice	50	Cooking		20
Potion	N/A	Chemistry (See it	em rules)	N/A

Name			Identify DC	Uses
Saffron			25	S
Description				
A grassy Purple flower				
Products	Product Value	Skill to Harvest/Craft		DC
Flower	50	Prof. Herbalist		20

Name			Identify DC	Uses
Sage			25	S,M
Description				
A small evergreen brus	h with bluish to purplish f	lowers		
Other Uses		Other Use DC	25	
Believed to hold some rules for uses)	healing properties, due to	this its useable for craft	ing potions (se	ee items
Products	Product Value	Skill to Harvest/Craft		DC
Spice	50	Cooking		15
Flower	50	Prof. Herbalist / Prof. F	armer	20
Potion	N/A	Chemistry		N/A



Name			Identify DC	Uses
Sago palm			20	W, E, M
Description				
about 5 centimeters	thick and hard as bamb	ters tall, with a stout, spiny tr oo. The rind encloses spongy like leaves clustered at the ti	inner pith co	
Edible Parts	arch. It has typical paint	like leaves clustered at the ti	ρ.	
palms. To extract th pound the soft, whit through a coarse clo sago settles, it is rea or oatmeal. Two kild part of the trunk's co eat the young sago	e edible sage, cut away ish inner part (pith) as fir oth into a container. The ady for use. Squeeze off ograms of sago is the nu	¥	half of the tru n in water and the container ry. Cook it as grams of rice. over a fire. Yo	unk, and I strain it Once the pancakes The upper
Other Uses		Other Use DC	20	
	I sorghums as thatching		10.	
Products	Product Value	Skill to Harvest/Craft		DC
Pith	100	Survival		30
Nut	50	Prof. Farming / Surviva	ll	20
Stems	50 10	Craft Items	vivol	20 10
Wood	10	Prof. Lumberjack / Sur	vival	10

Name			Identify DC	Uses
Sassafras			25	E, M,W
Description				
This shrub or small tree	bears different leaves or	the same plant. Some	eaves will hav	/e one
	nd some no lobes. The fl			
and yellow. The fruits an	<u>re dark blue. The plant pa</u>	arts have a characteristic	s root beer sr	nell.
Edible Parts				
The young twigs and lea	aves are edible fresh or d	ried. You can add dried	young twigs a	ind leaves
to soups. Dig the under	ground portion, peel off th	ne bark, and let it dry. Th	en boil it in wa	ater to
prepare sassafras tea.				
Other Uses		Other Use DC	40	
Shred the tender twigs f	or use as a toothbrush.			-
Products	Product Value	Skill to Harvest/Craft		DC
Wood	10	Prof. Lumberjack / Sur	vival	20
Теа	100	Cooking 20		20
Cola	1000	Cooking		40
Toothbrush	500	Craft Item		25

Name			Identify DC	Uses	
Saxual 25 W, E					
Description					
	er as a small tree or as a				
spongy, water-soaked b	ark. The branches of the	young trees are vivid gr	een and pend	ulous.	
Edible Parts					
	water storage organ. Yo			uantities of	
the bark. This plant is an	n important some of wate		hich it grows.		
Products Product Value Skill to Harvest/Craft DC					
Wood	10	Prof. Lumberjack/ Surv	/ival	20	
Fresh Water	50	Survival		40	

		111111 march
Name	Identify DC	Uses
Screw pine	20	W, E
Description		

The screw pine is a strange plant on stilts, or prop roots, that support the plant above-ground so that it appears more or less suspended in midair. These plants are either shrubby or treelike, 3 to 9 meters tall, with stiff leaves having saw like edges. The fruits are large, roughened balls resembling pineapples, but without the tuft of leaves at the end.

Edible Parts

Knock the ripe fruit to the ground to separate the fruit segments from the hard outer covering. Chew the inner fleshy part. Cook fruit that is not fully ripe in an earth oven. Before cooking, wrap the whole fruit in banana leaves, breadfruit leaves, or any other suitable thick, leathery leaves. After cooking for about 2 hours, you can chew fruit segments like ripe fruit. Green fruit is inedible.

Products	Product Value	Skill to Harvest/Craft	DC
Wood	10	Prof. Lumberjack / Survival	20
Fruit	100	Survival	50

Name			Identify DC	Uses	
Sea orach			25	E	
Description					
The sea orach is a sparingly branched herbaceous plant with small, gray-colored leaves up to 2.5 centimeters long. Sea orach resembles lamb's quarter, a common weed in most gardens in the United States. It produces its flowers in narrow, densely compacted spikes at the tips of its branches.					
Edible Parts	Edible Parts				
Its leaves are edible. In the areas where it grows, it has the healthy reputation of being one of the few native plants that can sustain man in times of want.					
Products	Product Value	Skill to Harvest/Craft		DC	
Plant	50	Prof. Herbalism / Surv	ival	20	

Name			Identify DC	Uses
Sesame seed			20	E
Description				
a pea pod like plant with	n fat white flowers			
Edible Parts				
pea pods and the flower	rs are edible			
Caution		Threat ID DC		
Other Uses		Other Use DC		
Products	Product Value	Skill to Harvest/Craft		DC
Pod	50	Prof. Herbalist / Prof. F	armer	20

One Piece RPG

Name			Identify DC	Uses
Sheep sorrel			20	E, M
Description				
These plants are seldor	n more than 30 centimeter	ers tall. They have alterna	ate leaves, of	ten with
arrow like bases, very s	mall flowers, and frequer	ntly reddish stems.		
Edible Parts				
The leaves are edible w	/hen cooked.	10mmm	ng -/	
Caution		Threat ID DC	40	1
These plants contain ox	alic acid that can be dam	naging if too many plants	are eaten ray	N.
Cooking seems to destr	oy the chemical.			/
Other Uses		Other Use DC	40	5
Refining the acid does 7	1d6 damage a round for 7	1d6 rounds		1
Products	Product Value	Skill to Harvest/Craft		DC
Plant	10	Prof. Herbalist / Surviva	al	20
Acid	1000	Chemistry	10	30

Name			Identify DC	Uses
Shiitake mushrooms			20	Е
Description				
A large white and brown	n umbrella like mushroom	l.		
Edible Parts				
One of the Highest in N	utrition mushrooms and a	great meat replacemer	nt.	
Products Product Value Skill to Harvest/Craft DC				DC
Mushroom	500	Herbalist/ Farmer / Su	rvival	15

Name			Identify DC	Uses
Sorghum			25	M,E
Description				
There are many differen	There are many different kinds of sorghum, all of which bear grains in heads at the top of the			
plants. The grains are b	rown, white, red, or black	. Sorghum is the main for	ood crop in ma	any parts of
the world.				
Edible Parts				
	any stage of developme		ins are milky a	and edible
raw. Boil the older grain	s. Sorghum is a nutritious	s food.		
Caution		Threat ID DC	40	
	alic acid that can be dam			v. Cooking
seems to destroy the ch	emical. Refined the acid	does 1d6 for 1d6 rounds	S.	
Other Uses		Other Use DC	25	
Use the stems of tall so	rghum as building materia	als.		
Products	Product Value	Skill to Harvest/Craft		DC
Grain	50	Cooking		40
Steams	50	Craft Items		20
Refined Acid	1000	Chemistry		30

©Imbria Arts 2015

PHETH BEN VER BENR CNRKNEUM FV RMMT FIXHTTIX FFCHF & WIWITIET VER NCWETMU FTW MERM ITVE XET TE IMBRIFERTU KEN RCX

Plant Guide

Name			Identify DC	Uses
Soy			20	E, M
Description				
A large bean stalk with	small v shaped bean pod	S.		
Edible Parts				
The beans are edible e	aten raw or cooked. The I	beans liquid can be used	l as a milk sul	ostitute, it
also can form a gelating	ous curd or be crafted into	a fine powder for a flou	r replacement	t.
Caution		Threat ID DC		1
				1
Other Uses		Other Use DC	25	1
On top of being used as processed it creates a content of the second sec	s a food source for people oil for fuel use.	e it also can be used as a	animal feed a	nd
Products	Product Value	Skill to Harvest/Craft		DC
Beans	100	Prof. Farming / Surviva		20
Soy Milk	300	Cooking		20
Tofu	500	Cooking		20
Flour	250	Cooking		15
Feed	100	Prof. Farmer / Prof. Ra	ncher	20
Oil	2000	Chemistry	K	40

Name Identify DC Uses					
Spatterdock or yellow	water lily		25	E	
Description					
This plant has leaves up	to 60 centimeters long v	vith a triangular notch at	the base. The	e shape of	
the leaves is somewhat	variable. The plant's yell	ow flowers are 2.5 centil	meter across a	and	
develop into bottle-shap	ed fruits. The fruits are g	reen when ripe.			
Edible Parts					
All parts of the plant are edible. The fruits contain several dark brown seeds you can parch or roast and then grind into flour. The large rootstock contains starch. Dig it out of the mud, peel off the outside, and boil the flesh. Sometimes the rootstock contains large quantities of a very bitter compound. Boiling in several changes of water may remove the bitterness.					
Products	Product Value	Skill to Harvest/Craft		DC	
Fruit	100	Prof. Herbalist / Surviv	al	100	
Flour	50	Cooking		50	

Name	Identify DC	Uses		
Spearmint			25	E,S,D
Description				
A small Jagged ed	ge leafed plant smells of	f mint		
Edible Parts				
The plant in a who	le is edible.			
Other Uses		Other Use DC	40	
		be used to calm down indiv	iduals. Due to thi	s its
useable for crafting	potions (see items rule	s for uses)		
Products	Product Value	Skill to Harvest/Cra	ft	DC
Leaves	500	Prof. Herbalist / Su	rvival	15
Potion	N/A	Chemistry (See Iter	n Rules)	N/A

Green Lightning Alpha Rules

Name			Identify DC	Uses
Spinach			20	E
Description				
An edible flowering plan	nt. It is an annual plant, w	hich grows to a height o	f up to 30 cm.	
Edible Parts				
The whole plant is edib	le raw or cooked. And is	a high source of vitaming	6	1
Products	Product Value	Skill to Harvest/Craft		DC
Plant	150	Herbalist / Farming/ Su	urvival	20

Name	Identify DC	Uses		
Squash				E
Description				
A Ground Vine with yell	ow flowers and produce I	ong green, yellow, or o	range fruit.	
Edible Parts				
The plants fruit is edible	raw or cooked and is a h	high source of vitamins.		
Products	Product Value	Skill to Harvest/Craft		DC
Fruit	150	Prof. Farmer / Surviva	12	15

Name	Identify DC	Uses		
St. John's Wort			25	D,E
Description				
a tall multi yellow lily like	e plant			
Edible Parts				
The plant in whole is ed	ible			
Other Uses		Other Use DC	25	
St. John's is commonly	used in medicine, due to	this its useable for crafti	ng potions (se	e items
rules for uses)				
Products	Product Value	Skill to Harvest/Craft DC		
Plant	50	Prof. Herbalist / Survival 20		
Potion	N/A	Chemistry (See Item F	Rules)	N/A

Name		ld	entify DC	Uses		
Sterculia				W,E,M		
Description						
Sterculias are tall trees, rising in some instances to 30 meters. Their leaves are either undivided or palmately lobed. Their flowers are red or purple. The fruit of all sterculias is similar in aspect, with a red, segmented seedpod containing many edible black seeds.						
Edible Parts						
The large, red pods	s produce a number of edi	ble seeds. The seeds of all ste	rculias are	edible and		
have a pleasant tas	ste similar to cocoa. You c	an eat them like nuts, either ra	w or roaste	ed.		
Caution		Threat ID DC				
and a second second						
Other Uses		Other Use DC				
Charles and the second						
Products	Product Value	Skill to Harvest/Craft		DC		
Fruit	50	Survival		40		
Seeds	50	Survival		50		
Wood	10	Prof. Lumberjack / Surviv	al	30		
in the second	and the second					

/	Name		Id	lentify DC	Uses
	Strawberry	20	0	E, G	
	Description				
		ant with a three-leaved gr ing. Its fruit is red and fle	owth pattern. It has small, shy.	white flowe	rs usually
ŝ	Edible Parts	-			
		cooked, or dried. Strawb es or dry them and make	erries are a good source o a tea with them.	f vitamin C.	You can
	Products	Product Value	Skill to Harvest/Craft		DC

FIUUUCIS	FIGURE Value	Skill to Harvest/Grait	
Fruit	50	Prof. Farming / Survival	20
Seeds	50	Prof. Farming	30
	A		

Name				Uses	
Strychnine tree			25	P, W	
Description					
The strychnine tree is a medium-sized evergreen, reaching a height of about 12 meters, with a thick, frequently crooked trunk. Its deeply veined oval leaves grow in alternate pairs. Small, loose clusters of greenish flowers appear at the ends of branches and are followed by fleshy, orange-red berries about 4 centimeters in diameter.					
Caution		Threat ID DC			
The berries contain the dislike seeds that yield the poisonous substance strychnine. All parts of the plant are poisonous. In the Raw DC 20 Resistance 1d4 END a hour for 1d4 hours, Processed Poison DC 30 Resistance vs. 1d8 an hour for 1d6 hours					
Products	Product Value	Skill to Harvest/Craft		DC	
Wood	10	Prof. Lumberjack / Sur	vival	20	
Berries	50	Prof. Herbalist / Surviv	al	20	
Refined Poison	500	Chemistry		50	

Name			Identify DC	Uses	
Sugarcane			20	E	
Description					
This plant grows up to 4.5 meters tall. It is a grass and has grass like leaves. Its green or reddish stems are swollen where the leaves grow. Cultivated sugarcane seldom flowers.					
Edible Parts					
The stem is an excellent source of sugar and is very nutritious. Peel the outer portion off with your teeth and eat the sugarcane raw. You can also squeeze juice out of the sugarcane.					
Products	Product Value	Skill to Harvest/Craft DC			
Cane	10	Prof. Farming / Surviva	al	20	
Sugar	100	Cooking		20	

Name					Identify [DC	Uses	
Sugar palm	0	604			20	K	E, M, V	N
Description								
							10.3	

This tree grows about 15 meters high and has huge leaves up to 6 meters long. Needlelike structures stick out of the bases of the leaves. Flowers grow below the leaves and form large conspicuous dusters from which the fruits grow.

Edible Parts

The chief use of this palm is for sugar. However, its seeds and the tip of its stems are a survival food. Bruise a young flower stalk with a stone or similar object and collect the juice as it comes out. It is an excellent source of sugar. Boil the seeds. Use the tip of the stems as a vegetable.

 Other Uses
 Other Use DC
 25

 The shaggy material at the base of the leaves makes an excellent rope as it is strong and resists decay.

Products	Product Value	Skill to Harvest/Craft	DC	
Stems	50	Craft Item	15	
Seeds	50	Prof. Herbalist / Survival	30	
Sugar	100	Cooking	20	
Rope	100	Craft Item	20	
Wood	10	Prof. Lumberjack / Survival	30	

Name			Identify DC	Uses
Sugar wrack			15	E, D
Description				
A large seaweed found	in vast areas of ocean.			
Edible Parts				
The whole plant is edible	e once boiled			
Caution		Threat ID DC		
Other Uses		Other Use DC	25	
Once the plant is burned to ash the ash is the chemical Sodium Carbonate Which has many medical uses, due to this its useable for crafting potions (see items rules for uses)				
Products	Product Value	Skill to Harvest/Craft		DC
Seaweed	10	Fisherman / Herbalist /	Survival	15
Potion	N/A	Chemist		N/A

I	Name			Identify DC	Uses	
	Poison sumac			25	Р	
	Description					
		o that grows to 8.5 meters				
	leafstalks with 7 to 13 le	aflets. Flowers are green	ish-yellow and inconspic	cuous and are	followed	
	by white or pale yellow l	perries.				
	Caution		Threat ID DC	25		
_		the year, can cause serio				
		ays DC 20 Resistance, it	can be refined to Itching	g Powder 1d12	2 damage	
	for 1d12 hours DC 20 F	ort				
	Products	Product Value	Skill to Harvest/Craft		DC	
	Plant	10	Prof. Herbalist / Surviv	al	40	
	Itching Powder	1000	Chemistry		40	

Name	Name Id		Identify DC	Uses
Sweet sagewort			25	D,E
Description				
Fern like plant with yello	ow flowers			
Edible Parts				
The plant is edible in w	hole.		1	1
Other Uses		Other Use DC	40	
Help to prevent the dev	elopment of parasite resis	stance, it also has anti-m	alarial proper	ties, and 🥖
has anti-cancer properti	es, due to this its useable	e for crafting potions (see	e items rules f	for uses)
Products	Product Value	Skill to Harvest/Craft		DC
Plant	50	Prof. Herbalist / Surviv	al	20
Potion	N/A	Chemistry (See Item F	Rules)	N/A

Name			Identify DC	Uses
Sweetsop			25	W,E,M
Description				
This tree is small, seldo	om more than 6 meters ta	ll, and multi-branched. It	has alternate	, simple,
	aves. Its fruit is green who		and covered w	vith
protruding bumps on its	s surface. The fruit's flesh	is white and creamy.		
Edible Parts				
The fruit flesh is edible	raw.			
Caution		Threat ID DC	40	
The ground seeds are e	extremely dangerous to th	ie eyes. DC 20 Resistan	ce vs. Blind	
Other Uses		Other Use DC	40	
You can use the finely	ground seeds as an insec	ticide. Does 2d6 End to	Insects per us	se.
Products	Product Value	Skill to Harvest/Craft		DC
Fruit	150	Prof. Farming / Surviva	al	20
Wood	10	Prof. Lumberjack / Survival		20
Insecticide	2000	Chemistry		40
Blinding Powder	1000	Chemistry		45

Name			Identify DC	Uses	
Sugar palm			20	E, M	
Description					
This tree grows about 15 meters high and has huge leaves up to 6 meters long. Needlelike structures stick out of the bases of the leaves. Flowers grow below the leaves and form large conspicuous dusters from which the fruits grow.					
Edible Parts	· · · · ·				
food. Bruise a young flo	The chief use of this palm is for sugar. However, its seeds and the tip of its stems are a survival food. Bruise a young flower stalk with a stone or similar object and collect the juice as it comes out. It is an excellent source of sugar. Boil the seeds. Use the tip of the stems as a vegetable.				
Caution	-	Threat ID DC			
Other Uses		Other Use DC			
The shaggy material at	the base of the leaves may	akes an excellent rope a	is it is strong a	and resists	
decay.					
Products	Product Value	Skill to Harvest/Craft		DC	
Stems	10	Survival		30	
Seeds	50	Survival		40	
Sugar	100	Cooking		20	
Rope	100	Craft Item		20	
Wood	10	Prof. Lumberjack / Sur	vival	30	

Name		Identify	DC Uses	
Sunflower		10	E~	
Description				
A Large 3ft tall flower with bright yellow petals and a massive orange interior full of seeds.				
Edible Parts				
The Seeds and flower petals are Edible. The seeds can be crushed and release a fine oil that can				
be used as a cooking aid (not strong enough as a fuel source)				
Caution Threat ID DC				
2			1	
Other Uses		Other Use DC		
Products	Product Value	Skill to Harvest/Craft	DC	
Seeds	50	Prof. Farming / Survival	20	
Flower	200	Prof. Herbalist	10	
Oil	200	Cooking	40	

Name			Identify DC	Uses	
Tamarind			25	W,E	
Description					
The tamarind is a large, densely branched tree, up to 25 meters tall. It has pinnate leaves (divided like a feather) with 10 to 15 pairs of leaflets.					
Edible Parts					
The pulp surrounding the seeds is rich in vitamin C and is an important survival food. You can make a pleasantly acid drink by mixing the pulp with water and sugar or honey and letting the mixture mature for several days. Suck the pulp to relieve thirst. Cook the young, unripe fruits or seedpods with meat. Use the young leaves in soup. You must cook the seeds. Roast them above a fire or in ashes. Another way is to remove the seed coat and soak the seeds in salted water and grated coconut for 24 hours, then cook them. You can peel the tamarind bark and chew it.					
Products	Product Value Skill to Harvest/Craft DC				
Seeds	100	Prof. Herbalist, Surviva	al	30	
Wood	10	Prof. Lumberjack, Surv	vival	40	

150 Fruit 10 Wo	od			
Name			Identify DC	Uses
Tangerine			20	W, E
Description				
A Bushy tree with long	slender leaves and Sr	nall orange fruit.		
Edible Parts				
The fruit is highly filled	with vitamins mostly V	itamin C and is edible raw o	r cooked into	food.
Caution		Threat ID DC		
Other Uses		Other Use DC		
Products	Product Value	Skill to Harvest/Craft		DC
Fruit	10	Prof. Farming / Surviva	l	15
Wood	150	Prof. Lumberjack / Sur	vival	15

Name		Identify D	C Uses		
		20			
Tobacco		20	M		
Description					
	aves. With small yellowing	sh green flowers blooming from the s	talk.		
Edible Parts					
		be used in smoking or chewing. Its h	igh quality use		
is why it is cigarette or	<u>r cigar. Tobacco has nice</u>	otine (for its effect see item rules)	1		
Other Uses Other Use DC 20					
Despite its use for lux	ury, tobacco is also a ke	y ingredient in medicine, due to this	its useable for		
crafting potions (see if	ems rules for uses)				
Products	Product Value	Skill to Harvest/Craft	DC		
Leaf	250	Farming / Herbalist / Survival	20		
Seed	50	Prof. Farming / Prof. Herbalist	15		
Snuff	350	Craft Item	10		
Cigarette	500	Craft Item	15		
Cigar	1000	Craft Item	25		
Potion	N/A	Chemistry (See Item Rules)	N/A		

Name			Identify DC	Uses
Tomato			20	E
Description				
A Small busy or vine like	e plant, with small yellow	w flowers and produce re-	d to orange-re	d fruit.
Edible Parts				
The fruit is not only edit	le but is highly sought i	n many cooking recipes.	It can also be	eaten raw.
Products	Product Value	Skill to Harvest/Craft		DC
Fruit	150	Prof. Farming / Surviva	al	15
Seed	50	Prof. Farming		15

Name			Identify DC	Uses	
Taro			25	E,P	
Description	Description				
All plants in these groups have large leaves, sometimes up to 1.8 meters tall, that grow from a very short stem. The rootstock is thick and fleshy and filled with starch.					
Edible Parts					
All parts of the plant are edible when boiled or roasted. When boiling, change the water once to get rid of any poison.					
Caution		Threat ID DC	40		
If eaten raw, these plants will cause a serious inflammation of the mouth and throat. Raw Poison does 1d4 an hour for 1d6 hours poison is not effective enough to be enhanced through chemical means DC 10 Resistance Save					
Products	Product Value	Skill to Harvest/Craft		DC	
Tuber	150	Farming / Herbalist / S	urvival	30	

Name			Identify DC	Uses
Tarragon			25	S
Description				
a tall slender plant with	broad leaves and sm	all greenish yellow flowers		
Edible Parts				
The flower is edible	8			1
Products	Product Value	Skill to Harvest/Craft		DC
Flower	50	Farming / Herbalist / S	urvival	20
Plant	50	Prof. Farming / Prof. H	erbalist	30

Name			Identify DC	Uses
Thistle			25	E,M,P
Description				
This plant may grow as	high as 1.5 meters. Its lea	aves are long-pointed, d	eeply lobed, a	and prickly.
Edible Parts				
Peel the stalks, cut then	n into short sections, and	boil them before eating.	The roots are	e edible
raw or cooked.				
Caution		Threat ID DC	40	
Some thistle species are	e poisonous. 50% chance	e of plant being poisonou	is, in its raw fo	orm it does
1d2 END a round for 1d	6 rounds DC 10 Resistar	ice. The poison can be r	efined to do d	oes 1d4
END a round for 1d6 ro	unds DC 10 Resistance	-		
Other Uses		Other Use DC	40	
Twist the tough fibers of	the stems to make a stro	ong twine.		
Products	Product Value	Skill to Harvest/Craft		DC
Stalks	10	Prof. Herbalist / Surviva	al	20
Poison	1000	Chemistry		40
Twine	50	Craft Item		20

Name			Identify DC	Uses	
Thyme			25	S,D	
Description					
A clover like plant that sprouts multiple stems					
Other Uses	Other Use DC	40			
Other than a spice it can be used to make a healing medicine, due to this its useable for crafting potions (see items rules for uses)					
Products	Product Value	Skill to Harvest/Craft		DC	
Clover	50	Prof. Herbalist / Survival		15	
Potion	N/A	Chemistry (See Item Rules) N/A		N/A	

PHETH BEN VER BENR CNRKNEUM FV RMMT FIXHTTIX FFCHF & WIWITIET VER NCWETMU FTW MERM ITVE XET TE IMBRIFERTU KEN RCX

20

	1500					71117 4	
Name					Identify D	DC	Uses
Ti		641			20		E, M
Description							
							· · · · ·

The ti has un branched stems with strap like leaves often clustered at the tip of the stem. The leaves vary in color and may be green or reddish. The flowers grow at the plant's top in large, plume like clusters. The ti may grow up to 4.5 meters tall.

Edible Parts

HET WER WER WER REAR CARAMENMER RAMTORATION FOR THE SAME AND THE ARE AND THE AREA THE WER THE WERE THE WERE FRANK FOR REX

The roots and very tender young leaves are good survival food. Boil or bake the short, stout roots found at the base of the plant. They are a valuable source of starch. Boil the very young leaves to eat. You can use the leaves to wrap other food to cook over coals or to steam. Other Uses

Other Use DC

Use the leaves to cover shelters or to make a rain cloak. Cut the leaves into liners for shoes; this works especially well if you have a blister. Fashion temporary sandals from the ti leaves. The terminal leaf, if not completely unfurled, can be used as a sterile bandage. Cut the leaves into strips, and then braid the strips into rope.

Products	Product Value	Skill to Harvest/Craft	DC
Leaves	10	Prof. Herbalist / Survival	20
Rope	100	Craft Item	20
Bandage	100	Craft Item	30

Name			Identify DC	Uses	
Tree fern			20	E	
Description					
Tree ferns are tall trees with long, slender trunks that often have a very rough, Bark like covering. Large, lacy leaves uncoil from the top of the trunk.					
Edible Parts					
	he soft inner portion of the		he young leav	es and eat	
as greens. Eat the inner portion of the trunk raw or bake it.					
Products	Product Value	Skill to Harvest/Craft		DC	
Leaves	5	Prof. Herbalist / Surviv	al	15	
Fern	50	Prof. Herbalist / Surviv	al	20	

Name			Identify DC	Uses	
Tropical almond			20	E, W	
Description					
This tree grows up to 9 meters tall. Its leaves are evergreen, leathery, 45 centimeters long, 15 centimeters wide, and very shiny. It has small, yellowish-green flowers. Its fruit is flat, 10 centimeters long, and not quite as wide. The fruit is green when ripe.					
Edible Parts					
The seed is a good source of food. Remove the fleshy, green covering and eat the seed raw or cooked.					
Products	Product Value	Skill to Harvest/Craft		DC	
Nuts	150	Prof. Farming / Surviva	al	20	

Products	Product Value	Skill to Harvest/Craft	DC
Nuts	150	Prof. Farming / Survival	20
Wood	10	Prof. Lumberjack / Survival	20



Name			Identify DC	Uses
Truffle			50	E
Description				
A small black to brown	patch of fungus collected	within the dirt. Requires	a high search	n to find.
Edible Parts				
A highly sought mushro	om used in cooking or cra	afting fine deserts		1
Other Uses		Other Use DC	40	
Processing the Truffle c	reates a fine cooking oil	or It can be used to mak	e a fine and ra	are alcohol.
Vodka (See item rules f	or effect)			1
Products	Product Value	Skill to Harvest/Craft		DC
Truffle	500	Prof. Herbalist / Survival 3		30
Oil	500	Cooking		20
Vodka	5000	Cooking / Chemistry		20

Name			Identify DC	Uses	
Trumpet vine or trump	20	P,M			
Description					
This woody vine may climb to 15 meters high. It has pea like fruit capsules. The leaves are pinnately compound, 7 to 11 toothed leaves per leaf stock. The trumpet-shaped flowers are					
orange to scarlet in colo	ır.				
Caution		Threat ID DC	40		
	ct dermatitis. In the raw t nce. Refined the poison d				
Other Uses		Other Use DC	20		
The vine can be used to	o craft a rope.				
Products	Product Value	Skill to Harvest/Craft		DC	
Vine	50	Prof. Herbalist / Surviv	al	30	
Rope	100	Craft Item		20	
Refined Poison	200	Chemistry		40	

Name			Identify DC	Uses	
Turnip			20	E	
Description					
A large stalk with a yello	ow flower and a large red	-purple to white bulb.			
Edible Parts					
The whole plant is edibl	e. The leaves actually ho	ld more vitamins then th	ne bulb.		
Products	Product Value	Skill to Harvest/Craft		DC	
Blub	100	Prof. Farming / Prof. H	lerbalist	10	
Leaves	200	Farming / Herbalist / S	urvival	20	

PHETH BEN VER BENR CNRKNEUM FV RMMT FIXHTTIX FFCHF & WIWITIET VER NCWETMU FTW MERM ITVE XET TE IMBRIFERTU KEN RCX

				//////	
Name			Identify DC	Uses	
Vanilla			25	S,D	
Description					
A vine like plant with long bean like pods					
Other Uses Other Use DC			40	1	
	spice but it also holds des			dy for	
fevers, due to this its u	seable for crafting potions	(see items rules for use	s)		
Products	Product Value	Skill to Harvest/Craft		DC	
Vanilla Bean	100	Herbalist / Farming / Survival		20	
Plant	50	Prof. Farming / Prof. Herbalist		20	
Potion	N/A	Chemistry (See Item F	Rules)	N/A	

Name			Identify DC	Uses
Walnut			25	W,E,M
Description				
Walnuts grow on very large trees, often reaching 18 meters tall. The divided leaves characterize all walnut spades. The walnut itself has a thick outer husk that must be removed to reach the hard inner shell of the nut.				
Edible Parts				
	n the autumn. You get the cause of their protein ar	ne walnut meat by cracking nd oil content.	the shell. W	alnut meats
Other Uses		Other Use DC	25	
You can boil walnuts and use the juice as an antifungal agent. The husks of "green" walnuts produce a dark brown dye for clothing or camouflage. Crush the husks of "green" black walnuts and sprinkle them into sluggish water or ponds for use as fish poison. The poison does 1d4 End a minute for 1d6 minutes, DC 10 Resistance.				
Products	Product Value	Skill to Harvest/Craft		DC
Nut	150	Farming / Herbalist / Su	urvival	20
Wood	10	Prof. Lumberjack / Surv	/ival	30
Dye	100	Craft Item		20
Poison	100	Chemistry		40

Name			Identify DC	Uses	
Wasabi			25	E,S,D	
Description	Description				
Small stem like plants w	vith beads.				
Edible Parts					
The beads are edible bu	The beads are edible but pack a powerful spice. DC 20 Resistance vs coughing fit and losing a				
turn.					
Other Uses	Other Uses Other Use DC 40				
	ne plant can be used to m or crafting potions (see ite		ke drowsy ind	ividuals,	
Products	Product Value	Skill to Harvest/Craft		DC	
Bead	150	Herbalist / Farming / S		25	
Plant	100	Prof. Herbalist / Prof. F		20	
Potion	N/A	Chemistry (See Item F	lules)	N/A	

PHETH BEN VER BENR CNRKHEUM FV RMMT FIXHTTIX FFCHE & WIWITIET VER NOWETMU FTW MERM ITVE XET TE IMERIFERTUKEN RCX

				111111		
Name			Identify DC	Uses		
Water chestnut			25	E		
Description						
grow underwater. Its float	The water chestnut is an aquatic plant that roots in the mud and has finely divided leaves that grow underwater. Its floating leaves are much larger and coarsely toothed. The fruits, borne underwater, have four sharp spines on them.					
Edible Parts						
The fruits are edible raw	The fruits are edible raw and cooked. The seeds are also a source of food.					
Products	Product Value	Skill to Harvest/Craft		DC		
Chestnut	150	Prof. Herbalist / Surviv	al	25		

Name			Identify DC	Uses	
Water hemlock or spotted cowbane 25 M, P					
Description					
This perennial herb may grow to 1.8 meters high. The stem is hollow and sectioned off like					
bamboo. It may or may not be purple or red striped or mottled. Its flowers are small, white, and					
grow in groups that t	end to form flat umbels.	Its roots may have hollow	v air chambers a	nd, when	
cut, may produce dro	ops of yellow oil.	-			
Caution Threat ID DC 30					
This plant is very poisonous and even a very small amount of this plant may cause death. Roots					
		Raw does 1d4 END a rou			
Resistance Save. Re	fining the poison create	s a poison that does 1d6	END for 1d4 rou	inds, DC 20	
Resistance Save.					
Products	Product Value	Skill to Harvest/Cra	ft	DC	
Reed	10	Craft Item		10	
Root	50	Prof. Herbalist/ Sur	vival	20	
Poison	1000	Chemistry		40	
	•	· · ·		•	

Name			Identify DC	Uses
Water lettuce			20	E
Description				
The leaves of water lettuce are much like lettuce and are very tender and succulent. One of the easiest ways of distinguishing water lettuce is by the little plantlets that grow from the margins of the leaves. These little plantlets grow in the shape of a rosette. Water lettuce plants often cover large areas in the regions where they are found.				
Edible Parts				
Eat the fresh leaves like lettuce. Be careful not to dip the leaves in the contaminated water in which they are growing. Eat only the leaves that are well out of the water.				
Products	Product Value	Skill to Harvest/Craft		DC
Lettuce	50	Prof. Herbalist / Surviv	al	20

Name			Identify DC	Uses	
Water lily			20	E,D	
Description					
	These plants have large, triangular leaves that float on the water's surface, large, fragrant flowers that are usually white, or red, and thick, fleshy rhizomes that grow in the mud.				
Edible Parts	Edible Parts				
	d rhizomes are edible raw aw, or slice thinly, allow to ur.				
Other Uses		Other Use DC	40	/	
	from boiling the thickened s. due to this its useable f				
Products	Product Value	Skill to Harvest/Craft		DC	
Flower	50	Prof. Herbalist / Surviv	al	20	
Plant	500	Prof. Herbalist		30	
Potion	N/A	Chemistry (See Item R	ules)	N/A	

Name			Identify DC	Uses
Watermelon			10	Е, М
Description				
A large ground Vine wit fruit with darker green s	h Large Oak like leaves a strips.	and yellow flowers, It pro	duces a mass	sive green
Edible Parts				
The fruit is edible. Minu	s the seeds and out shell			
Other Uses Other Use DC 20				
	an craft the fruit into a lar ed in full as replacement a a rope.			
Products	Product Value	Skill to Harvest/Craft		DC
Fruit	250	Prof. Farming / Surviva	al	15
Rope	100	Craft Item		20
Lantern	200	Craft Item		15
Seed	50	Prof. Farming		15

Name			Identify DC	Uses	
Water plantain			20	E	
Description					
This plant has small, white flowers and heart-shaped leaves with pointed tips. The leaves are clustered at the base of the plant.					
Edible Parts					
The rootstocks are a go	The rootstocks are a good source of starch. Boil or soak them in water to remove the bitter taste.				
Products	Product Value	Skill to Harvest/Craft		DC	
Root	150	Prof. Herbalist / Surviv	ral	30	

Name			Identify DC	Uses
Wheat			15	E
Description				
A long to the point when	e the plant bends over	er with its tip covered in see	ds in a row.	
Edible Parts				
		make into flour or cooked o h can be used as both a ma		
Products	Product Value	Skill to Harvest/Craft		DC
	000	O a a latera a		00

1 1000003			
Flour	200	Cooking	20
Grain	100	Farmer / Herbalist / Survival	15
Нау	50	Prof. Rancher / Prof. Farmer	10
Bread	500	Cooking	20
Seeds	20	Prof. Farmer	20

		Identify DC	Uses
		20	E
at loses its leaves during	the dry season. Its ster	ns are gray gr	een and its
flowers pink.			
Edible Parts			
f young shoots are edible	e raw.		
Product Value	Skill to Harvest/Craft		DC
100	Prof. Herbalist / Surviv	ral	20
	f young shoots are edible Product Value	f young shoots are edible raw. Product Value Skill to Harvest/Craft	at loses its leaves during the dry season. Its stems are gray gr f young shoots are edible raw. Product Value Skill to Harvest/Craft

Name			Identify DC	Uses	
Wild crab apple or wild	d apple		25	E,P,W,G	
Description					
Most wild apples look enough like domestic apples that the survivor can easily recognize them. Wild apple varieties are much smaller than cultivated kinds; the largest kinds usually do not exceed 5 to 7.5 centimeters in diameter, and most often less. They have small, alternate, simple leaves and often have thorns. Their flowers are white or pink and their fruits reddish or yellowish. Edible Parts					
Prepare wild apples for	Prepare wild apples for eating in the same manner as cultivated kinds. Eat them fresh, when ripe, or cooked. Should you need to store food, cut the apples into thin slices and dry them. They are a				
Caution		Threat ID DC	35		
Apple seeds contain cya	anide compounds. Do no	t eat. For Cyanide effect	s see Item Ru	les	
Products	Product Value	Skill to Harvest/Craft		DC	
Fruit	100	Prof. Farming / Surviva	al	15	
Wood	10	Prof. Lumberjack / Sur		15	
Cyanide	250	Chemistry (see item ru	ıles)	N/A	
Seeds	50	Prof. Farming			

PHETH BEN VER BENR CNRKNEUM FV RMMT FIXHTTIX FFCHF & WIWITIET VER NCWETMU FTW MERM ITVE XET TE IMBRIFERTU KEN RCX

			119111111111111111111		11 11/14
Name				Identify DC	Uses
Wild deser	t gourd or co	olocynth		20	E
Description					

The wild desert gourd, a member of the watermelon family, produces an 2.4- to 3- meter-long ground-trailing vine. The perfectly round gourds are as large as an orange. They are yellow when ripe.

Edible Parts The seeds inside the ripe gourd are edible after they are completely separated from the very bitter pulp. Roast or boil the seeds--their kernels are rich in oil. The flowers are edible. The succulent stem tips can be chewed to obtain water.

Other Uses		Other Use DC	20	1	
The gourd can be crafted into a container vessel for water or other liquids.					
Products	Product Value	Skill to Harvest/Craft		DC	
Flowers	100	Herbalist / Farming / Su	rvival	20	
Oil	100	Cooking	T	30	
Water storage	300	Craft Item		40	

Name			Identify DC	Uses		
Wild dock and wild so	rrel		25	Е		
Description						
Wild dock is a stout plant with most of its leaves at the base of its stem that is commonly 15 to 30 centimeters brig. The plants usually develop from a strong, fleshy, carrot-like taproot. Its flowers are usually very small, growing in green to purplish plume-like clusters. Wild sorrel similar to the wild dock but smaller. Many of the basal leaves are arrow-shaped but smaller than those of the dock and contain a sour juice.						
Edible Parts						
Because of tender nature of the foliage, the sorrel and the dock are useful plants, especially in desert areas. You can eat their succulent leaves fresh or slightly cooked. To take away the strong taste, change the water once or twice during cooking. This latter tip is a useful hint in preparing many kinds of wild greens.						
Products	Product Value	Skill to Harvest/Craft		DC		

Products	Product Value	Skill to Harvest/Craft	DC
Greens	150	Herbalist / Farming / Survival	20

Name			Identify DC	Uses		
Wild fig			20	E, W		
Description						
These trees have alternate, simple leaves with entire margins. Often, the leaves are dark green and shiny. All figs have a milky, sticky juice. The fruits vary in size depending on the species, but are usually yellow-brown when ripe.						
Edible Parts						
The fruits are edible ra	w or cooked. Some figs h	nave little flavor.				
Products	Product Value	Skill to Harvest/Craft		DC		
Fruit	100	Prof. Farming / Surviv	al	20		
Wood	10	Prof. Lumberjack / Su	vival	15		



PHETH BED MER BEDR CORNERING FOR ROMT DIXETTICX FOCHE SMIMITIFT MER OCMETMUETM MERMITURE AFT THE MERIFERTURE REX

						///////////////////////////////////////		//
Name					Identif	y DC	Uses	
Wild gourd	or luffa spo	nge 🦳			25		E, G	
Decemination								

Description

The luffa sponge is widely distributed and fairly typical of a wild squash. There are several dozen kinds of wild squashes in tropical regions. Like most squashes, the luffa is a vine with leaves 7.5 to 20 centimeters across having 3 lobes. Some squashes have leaves twice this size. Luffa fruits are oblong or cylindrical, smooth, and many-seeded. Luffa flowers are bright yellow. The luffa fruit, when mature, is brown and resembles the cucumber.

Edible Parts

You can boil the young green (half-ripe) fruit and eat them as a vegetable. Adding coconut milk will improve the flavor. After ripening, the luffa sponge develops an inedible sponge like texture in the interior of the fruit. You can also eat the tender shoots, flowers, and young leaves after cooking them. Roast the mature seeds a little and eat them like peanuts.

Products	Product Value	Skill to Harvest/Craft	DC
Gourd / Luffa	100	Herbalist / Farming / Survival	20
Seeds	50	Prof. Farming	30
Luffa Sponge	100	Craft Item	20

Name			Identify DC	Uses			
Wild grape vine			20	E,M			
Description							
The wild grape vine climbs with the aid of tendrils. Most grape vines produce deeply lobed leaves similar to the cultivated grape. Wild grapes grow in pyramidal, hanging bunches and are black- blue to amber, or white when ripe.							
Edible Parts							
	rtion eaten. Grapes are r source of energy-giving v			on, are			
Other Uses		Other Use DC	40				
cut end in a container. N part. This cut will allow	You can obtain water from severed grape vine stems. Cut off the vine at the bottom and place the cut end in a container. Make a slant-wise cut into the vine about 1.8 meters upon the hanging part. This cut will allow water to flow from the bottom end. As water diminishes in volume, make additional cuts further down the vine. For wine see Item rules for effect.						
Products	Product Value	Skill to Harvest/Craft		DC			
Fruit	100	Herbalist / Farming / S	urvival	20			
Seeds	20	Prof. Farming		20			
Wine	3000	Cooking / Chemistry (If	em Rules)	N/A			
Fresh Water	50	Survival		15			

Name			Identify DC	Uses
Wild onion and garlic			20	E, G, M, D
Description				
Allium cernuum is an ex	ample of the many specie	es of wild onions and g	arlic's, all	
Edible Parts				
The bulbs and young lea	aves are edible raw or co	oked. Use in soup or to	o flavor meat.	
Other Uses		Other Use DC	25	
	of onions will give your bo			
	otic on wounds, due to thi		g potions (see	items rules
for uses) Insecticide doe	es 2d6 END to insects DC	20 Resistance.		
Products	Product Value	Skill to Harvest/Craft		DC
Blub	50	Farming / Herbalist / S		20
Plant	50	Prof. Farming / Prof. I	Herbalist	20
Insecticide	100	Chemistry		20
Potion	N/A	Chemistry (See item	rules)	N/A

Name		Identify	DC Uses
Wild pistachio	KIN ZANI	20	E, W
Description			
Some kinds of pis	tachio trees are evergree	n, while others lose their leaves during	the dry season.
		either three large leaves or a number	
fruits or nuts are u	sually hard and dry at ma	aturity.	1
Edible Parts	· · ·		
You can eat the oil	il nut kernels after parchir	ng them over coals.	
Caution		Threat ID DC	1
		· · ·	5
Other Uses		Other Use DC	
Products	Product Value	Skill to Harvest/Craft	DC
Wood	10	Prof. Lumberjack / Survival	20
Nuts	100	Farming / Herbalist / Survival	20

Name			Identify DC	Uses				
Wild rice				E				
Description	Description							
Wild rice is a tall grass that averages 1 to 1.5 meters in height, but may reach 4.5 meters. Its grain grows in very loose heads at the top of the plant and is dark brown or blackish when ripe.								
Edible Parts								
During the spring and summer, the central portion of the lower sterns and root shoots are edible. Remove the tough covering before eating. During the late summer and fail, collect the straw- covered husks. Dry and parch the husks, break them, and remove the rice. Boil or roast the rice and then beat it into flour.								
Products	Product Value	Skill to Harvest/Craft		DC				
Rice	100	Farming / Herbalist / S	urvival	20				
Plant	50	Prof. Farming / Prof. H	lerbalist	30				
Flour	200	Cooking		20				

Name			Identify DC	Uses
			··· ·	
Wild rose			15	E, G, M
Description				
	ntimeters to 2.5 meters h			
flowers may be red, pin	k, or yellow. Its fruit, calle	d rose hip, stays on the	shrub year-ro	und.
Edible Parts				
The flowers and buds a	re edible raw or boiled. In	an emergency, you car	n peel and eat	the young
shoots. You can boil fre	sh, young leaves in wate	r to make a tea. After the	e flower petals	fall, eat
the rose hips; the pulp i	s highly nutritious and an	excellent source of vital	min C. Crush o	or grind
dried rose hips to make				0
Products	Product Value	Skill to Harvest/Craft		DC
Flower	100	Prof. Herbalist / Surviv	ral	20
Теа	50	Cooking		20
Flour	50	Cooking		20
Seed	50	Prof. Herbalist / Prof. F	arming	15
Perfume	1000	Chemistry	5	40

One Piece RPG

Imbriaarts.com/rpg

Name			Identify DC	Uses
Wood sorrel			25	E
Description				
Wood sorrel resembles	s shamrock or four-leaf clo	over, with a bell-shaped pi	nk, yellow, o	r white
flower.				
Edible Parts				
Cook the entire plant.	2	17 man	19-1	
Products	Product Value	Skill to Harvest/Craft		DC
Clover	50	Prof. Herbalist / Surviva		20

Name			Identify DC	Uses
Yam			25	E
Description				
These plants are vines that creep along the ground. They have alternate, heart-or arrow-shaped leaves. Their rootstock may be very large and weigh many kilograms.				
Edible Parts				
Boil the rootstock and eat it as a vegetable.				
Products	Product Value	Skill to Harvest/Craft		DC
Tuber	100	Prof. Farming / Surviva	al 🥖	30

Name			Identify DC	Uses	
Yam bean			20	E, P, M	
Description	Description				
	The yam bean is a climbing plant of the bean family, with alternate, three-parted leaves and a				
	turnip-like root. The bluish or purplish flowers are pea-like in shape. The plants are often so				
rampant that they cover the vegetation upon which they are growing.					
Edible Parts					
The tubers are about the size of a turnip and they are crisp, sweet, and juicy and have a nutty					
flavor. They are nourishing and at the same time quench the thirst. Eat them raw or boiled. To					
make flour, slice the raw tubers, let them dry in the sun, and grind into flour that is high in starch and may be used to thicken soup.					
Caution Threat ID DC 25					
The raw seeds are poisonous. In the raw does DC 15 Resistance vs. 1d3 END an hour for 1d10				r for 1d10	
hours, Refining the poison make it DC 20 Resistance vs. 1d4 END an hour for 1d12 hours					
Products	Product Value	Skill to Harvest/Craft		DC	
Tuber	100	Prof. Herbalist / Surviv	val	30	
Seeds	50	Prof. Herbalist		30	
Refined Poison	100	Chemistry		20	
Flour	100	Cooking		15	
	•			·	
Name			Identify DC		

Name			Identify DC	Uses
Yarrow			25	D
Description				
A woody like stem with	tiny white flowers and fer	n like leaves.		
Edible Parts				
Eaten to counter poisoning, but must be eaten quickly				
Other Uses		Other Use DC	40	
The plant has a powerful medical use, due to this its useable for crafting potions (see items rules				
for uses)				
Products	Product Value	Skill to Harvest/Craft		DC
Plant	500	Herbalist / Farming / Survival 20		20
Potion	N/A	Chemistry (See Item Rules) N/A		N/A